

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Volume 18 Part 3

18 01 2020

ISSN 1015-8243

<http://zoobank.org/References/951341A2-A514-4345-A37F-4E743EDA9B5>

On the Phycitinae of Turkey: updated synonymic and distributional list of species (Lepidoptera) with some remarks

Muhabbet Kemal¹ Ahmet Ömer Koçak

Abstract: On the Phycitinae of Turkey: updated synonymic and distributional list of species (Lepidoptera) with some remarks. *Priamus* 18 (3): 130-154, 13 figs.

In this article, the difficulties encountered in the studies about Phycitinae are discussed. Totally 324 Phycitinae species of Turkey are presented for the first time in a synonymic and distributional list. Among the species, two new provincial records and a new larval food-plant of *Pempelia albariella* are mentioned. Original complementary illustrations are also given.

Key words: Phycitinae, Pyraloidea, list, fauna, Turkey.

Studying on the Phycitinae species is not easy in various respects. Reliable revisional works on difficult genera are not enough. For example, Roesler (1973, 1993) published only two volumes of the palaearctic phycitine and some complementary papers on this group. Too schematic genital drawings used in these monumental works apparently belong to non-professional persons. Therefore, deciding about the identity of the species by using such drawings, is not always easy. Currently, Roesler could not complete his task on this matter.

At the end of the last year, Slamka (2019) published the first part of the Phycitinae of Europe. Although the title of the book is like this, it also contains important information about species found in Central Asia, the Middle East, or even only in Africa. Although this case may seem beneficial to the relevant readers, we are of the opinion that it is not correct in terms of the title and the purpose.

Identification of the species based upon the external features is rarely possible. Preparing of the male and female genitalia is usually the most reliable morphological method; therefore recommended. However, genitalic preparation of some phycitine groups is not so simple, due to its compact structure, strong contrast between the membranous and chitinous parts of the genitalia, as well as poorly chitinized accessory organs.

In summary, to produce publication on this group is not easy. Within our scientific circle, it can be said that no author can publish a work absolutely perfect. But it is also a reality that every publication contributes more or less to science. It is important to see it, take into consideration and respect to the work of each author. With this idea, we have prepared a revised list of the Phycitinae of Turkey, based upon the info-systems of the Cesa² and the Slamka's last important publication.

¹ Dr Muhabbet Kemal - Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.

e-mails: muhabbet_kemal@yahoo.com.tr

Prof. em Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Dept. of Biology., Van / Turkey.

e-mail: cesa_tr@yahoo.com.tr

² <http://www.cesa-tr.org/Infos.htm> - visit also Cesa Digital Library in the Internet Archive: <https://archive.org/details/@cesa>

Our present aim is to see the updated list of the Phycitinae of Turkey, before preparing more detailed publications on some genera in near future.

In the present paper, totally 324 species are listed alphabetically, with chronologically arranged synonymous names, and the distributional information of each species expressed as codes.

Faunistically, *Asalebria geminella*, *Myrlaea epischniella*, *Neopristocerella deltagrammella*, *Pempelia albariella*, *Pristocerella solskyi* are discussed below from various standpoints or new materials added. *Neopristocerella deltagrammella* and *Pristocerella solskyi* are reported here as new for the fauna of Van Province. Besides, *Onobrychis cornuta* is given as new larval food-plant of *Pempelia albariella*. Several complementary illustrations are also given here for the first time.

List of the species

For the explanation of the codes used in this publication, *vide*, Koçak & Kemal (2019).


1. **Acritonia comeella Amsel, 1954** Synonymy: *comeella* Amsel, 1954; *#comella* Akin, 2014 Range (as code): IR Fa TR 13 65 73 13A 13Ab 13Ax 13F 13F38 13F171 65D 65Df 65K 65Kl6 65Z 73A 73Ad 73Ad2
2. **Acrobasis advenella (Zincken, 1818)** Synonymy: *advenella* Zincken, 1818; *rhenella* Stephens, 1834; *consociella* Duponchel, 1836; *recurvella* Guenée, 1845 Range (as code): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY TR 05 56 65 76 56F 65L 65Le 65N 65Np 65Nm 76D 76Da
3. **Acrobasis atrisquamella Ragonot, 1887** Synonymy: *atrisquamella* Ragonot, 1887; *nigrisquamella* Amsel, 1954 Range (as code): TR IR Fa IQ Ssa IL LB Bei 05 44 46 47 65 05A 44L 65D 65Dv 65Dt 65Du
4. **Acrobasis bithynella Zeller, 1848** Synonymy: *bithynella* Zeller, 1848; *obliterella* Staudinger, 1859; *rubidella* Ragonot, 1887; *plumbeatella* Turati, 1913; *rufella* Turati, 1913; *turatii* Schawerda, 1921; *minusculella* Turati, 1930; *noctiptera* Schawerda, 1937; *witteella* Roesler, 1969 Range (as code): DZ Lbs PT ES FR Co Sa Si IT YU Cr TR LB 01 05 16 33 34 42 80 16A 42B
5. **Acrobasis celticola Staudinger, 1879** Synonymy: *celticola* Staudinger, 1879 Range (as code): TR 05 47 05A
6. **Acrobasis centunculella (Mann, 1859)** Synonymy: *centunculella* Mann, 1859 Range (as code): ES Mu FR Si IT RO YU BG GR TR 16 44 65 16A 44E 44Ei 65D 65Do
7. **Acrobasis consociella (Hübner, [1813])** Synonymy: *consociella* Hübner, [1813]; *consocialis* Hübner, [1825]; *tumidella* Duponchel, 1836; *oberthueri* Lucas, 1914. Range (as code): TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY TR TM Kp 05 06 13 65 05A 06R 13F 13F01 13F11 13F18 13F19 13F22 13F35 13F41 65A 65Ai
8. **Acrobasis dulcella (Zeller, 1848)** Synonymy: *dulcella* Zeller, 1848 Range (as code): ES Grn An FR Si IT DE AT SK HU RO YU AL BG GR RU MD UA Cm BY Cc AM TR IQ Shq LB Bsa IR Gh Enz Srd Elb Mz Kh 05 13 16 30 35 42 46 47 51 56 65 05A 13F 13F18 13F35 16A 30D 30Df 42B 47D 56F 65A 65Am 65Am1 65N 65Np2 65Nm
9. **Acrobasis erastriella (Ragonot, 1887)** Synonymy: *erastriella* Ragonot, 1887; *semistrigella* Mabille, 1908; *lella* Chrétien, 1911 Range (as code): DZ Onç TN Cc AZ Nv Ord TR 76 76C
10. **Acrobasis fallouella (Ragonot, 1871)** Synonymy: *fallouella* Ragonot, 1871; *anatolica* Caradja, 1910; *persella* Zerny, 1939 Range (as code): FR CY TR IR 01 05 06 13 31 35 42 44 46 56 65 71 05A 13F 31M 42B 44L 44Lc 56F 56F1 65D 65Du 65Dv 65Dt
11. **Acrobasis farsella (Amsel, 1950)** Synonymy: *farsella* Amsel, 1950 Range (as code): TR IR Fa Mia 56 56F 56Fa 56Fö
12. **Acrobasis glaucella Staudinger, 1859** Synonymy: *glaucella* Staudinger, 1859 Range (as code): DZ Lbs LY Cy PT ES Grn An FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr RU MD UA BY TR IL Pa Hf IR Ab Ak Elb Fa LB Bsa 05 06 13 31 35 42 44 46 56 65 71 05A 13F 13F41 31M 42B 44L 44Lc 56F 56F1 65D 65Du 65Dv 65Dt

- 13. *Acrobasis legatea* (Haworth,[1811])** Synonymy: *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]; *naumanni* Roesler,1969 Range (as code): **TN Gf ES FR GB Co Si IT DE CH AT CZ SK HU RO YU GR Cr RU MD UA BY TR LB Bsa IL Pa Hf 01 05 13 16 31 42 44 46 58 01K 05A 13F 13F11 13F18 13F19 13F22 13F35 13F41 16A 31M 44E 44Ei**
- 14. *Acrobasis marmorea* (Haworth,[1811])** Synonymy: *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859; *lugens* Staudinger,1881 Range (as code): **TN PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr DK NO SE LV RU MD UA BY TR IL Pa Js Jt 05 16 46 05A 16A**
- 15. *Acrobasis niveicinctella* (Ragonot,1887)** Synonymy: *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950 Range (as code): **TM Kp TR IR Fa Mia Kz Com Shr**
- 16. *Acrobasis obliqua* (Zeller,1847)** Synonymy: *obliqua* Zeller,1847; *cinerascens* Turati,1927. Range (as code): **PT Cn ES FR Co Sa Si IT CH YU AL GR Rd CY TR IL Pa LB Bsa 05 09 13 16 31 46 05A 13F 13F18 13F35 13F41 16A 31M**
- 17. *Acrobasis obtusella* (Hübner,1796)** Synonymy: *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825]. Range (as code): **PT ES FR Sa IT MT BE DE CH AT PL CZ SK HU RO YU BG GR RU MD UA BY SY LB Bsa TR IL Js Pa**
- 18. *Acrobasis ottomana* Caradja,1916** Synonymy: *ottomana* Caradja,1916 Range (as code): **TR LB Bsa IL Js Pa 01 06 13 33 42 46 56 01K 13F 13F22 56F 56Fb**
- 19. *Acrobasis repandana* (Fabricius,1798)** Synonymy: *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888. Range (as code): **PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR 06 21 65 06R 06Rb 21N 21Nh 65A 65Ai 65D 65Dt 65Dv**
- 20. *Acrobasis suavella* (Zincken,1818)** Synonymy: *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940 Range (as code): **ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI RU MD UA BY 05 34 05A**
- 21. *Acrobasis tumidana* ([Denis & Schiffermüller],1775)** Synonymy: *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. Range (as code): **ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE LT RU MD UA BY TR IR Kd Lo 12 13 16 30 42 46 56 65 80 12E 12Ed 13A 13Ab 13Ax 13F 13F01 13F18 13F19 13F20 13F27 13F35 13F41 16A 30D 30Df 56F 56F1 65A 65Ai**
- 22. *Adenia metamelana* (Hampson,1896)** Synonymy: *metamelana* Hampson,1896; *aumontella* D.Lucas,1911; *horridella* Dumont,1932; *arida* Asselbergs,2008 Range (as code): **MA TN OM IL Pa IQ YE Ad Cn TR AE 47**
- 23. *Alophia combustella* (Herrich-Schäffer,[1855])** Synonymy: *combustella* Herrich-Schäffer,[1855]; *gallicola* Staudinger,1870; *palumbiella* Rondani,1876; *incinerella* Caradja,1910; *fusciorubra* Riel,1928; *marocana* D.Lucas,1955; *hyrcanella* Amsel,1961 Range (as code): **MA DZ Bsk TN Gf PT ES Mu FR Sa Si IT MT HU RO YU GR Tyg TR IR CY IL Pa Hf Js LB Bsa JO RU MD UA Cm 05 06 31 46 80 05A 31M 80B 80Bc**
- 24. *Amasyana amanella* (Zerny,1935)** Synonymy: *amanella* Zerny,1935 Range (as code): **TR 80**
- 25. *Amasyana melanotaeniella* (Ragonot,1888)** Synonymy: *melanotaeniella* Ragonot,1888 Range (as code): **TR Cc AF 05 46 47**
- 26. *Amphithrix sublineatella* (Staudinger,1859)** Synonymy: *sublineatella* Staudinger,1859; *ogmosema* Meyrick,1935 Range (as code): **MA PT ES Mu FR Co Si HV GR IL LB CY Cy5 TR 31 31K 31Ka 31Ka3**
- 27. *Ancylodes dealbatella* (Erschoff,1874)** Synonymy: *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *subgoliathella* Caradja,1937; *kerbelella* Amsel,1949; *gigantella* Roesler,1965 Range (as code): **Cn ES MA DZ Bsk TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb Mz AF Gbh Srb Pli PK Gg Ch MN UZ Smk TM Kp Krn RU Sr Uk KG Ind CN Yu SI 06 42 06Y 06Yb 42B**
- 28. *Ancylodes pallens* Ragonot,1887** Synonymy: *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958. Range (as code): **Cn MA DZ Sfr TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH 13 33 13F**
- 29. *Ancylosis albicosta* (Staudinger,1870)** Synonymy: *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. Range (as code): **MA LY Cy RO RU Sr Or MD UA TR KG Uk Ind TM Kp K-K AF Hr Kbb IR Elb Th CN Ui Ga 16 46 16A**

- 30. *Ancylosis candidatella* (Lederer,1858)** Synonymy: *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. Range (as code): MA DZ Bsk TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb 03 06 16 21 42 46 06R 16A
- 31. *Ancylosis cinnamomella* (Duponchel,1836)** Synonymy: *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. Range (as code): DZ TN Gf PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb KJ Th Fa Ha Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eba MA Ifr Ouk 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 58 65 71 76 05A 13F 13F01 13F11 13F35 13F41 16A 58N 58Nc 65A 65Am 65Am4 65D 65Dg 65Fp 65Fz 76C
- 32. *Ancylosis convexella* (Lederer,1855)** Synonymy: *convexella* Lederer,1855; *albicieliella* Staudinger,1859; *favorinella* Zeller,1867 Range (as code): Cn MA DZ Ajj Bsk Onç TN Gf LY Cy ES Mu MT YU GR IR Mz Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc 01 03 06 07 13 16 21 31 42 46 63 06R 13F 16A 31M
- 33. *Ancylosis deserticola* (Staudinger,1870)** Synonymy: *deserticola* Staudinger,1870 Range (as code): DZ Eal Onç Gha ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu UA Cm 16 21 42 46 16A
- 34. *Ancylosis dumetella* (Ragonot,1887)** Synonymy: *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961. Range (as code): DZ Onç CN Ui Ku T-S TM Kp TR IR Ha Adv Th Elb Fa AF Kab Pag Ca Hr Bd KK RU Da Cc 05 13 23 05A 13F 13F6
- 35. *Ancylosis faustinella* (Zeller,1867)** Synonymy: *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. Range (as code): Cn MA TN DZ Ath Bsk Ogl Ah LY Cy SD MT RU JO IL Js Jf Pa AZ Nv Ord Cc TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa NE Air KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn Kp AF Kab Srb Ca Hr PK Bl Qu Pj Lh IN MN 01 03 06 13 16 35 42 46 65 06R 16A
- 36. *Ancylosis geminella* (Amsel,1961)** Synonymy: *geminella* Amsel,1961 Range (as code): IR Elb Th KJ Fa La Ss TR EG EGO7 06
- 37. *Ancylosis gracilella* Ragonot,1887** Synonymy: *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. Range (as code): MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku 06 16 21 31 38 42 46 71 76 06R 16A 31M 76C
- 38. *Ancylosis harmoniella* (Ragonot,1887)** Synonymy: *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosabella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930. Range (as code): MA DZ Gab Bsk TN Gf LY Cy MT EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord 06 21 46 06R
- 39. *Ancylosis hellenica* (Staudinger,1870)** Synonymy: *hellenica* Staudinger,1870; *deliciosella* Caradja,1910 Range (as code): LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb KJ Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br 03 06 07 08 09 13 16 21 30 34 35 41 42 44 46 56 58 65 70 76 08H 08Ha 13F 16A 30B 30Bç 30Bt1 30Bz 44I 44Ib 56F 65D 65Du 65Dt 65G 65Gb 65N 65Np 65Nm 70C 70Ce 76C
- 40. *Ancylosis iranella* Ragonot,1887** Synonymy: *iranella* Ragonot,1887; *turaniella* Ragonot,1887. Range (as code): Cc TR IR Th Elb Shh Kdv IL Hf Pa LB Bei IQ Bsr KK TM Kp 06 21 42 45 46 76 76C
- 41. *Ancylosis lacteicostella* (Ragonot,1887)** Synonymy: *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915. Range (as code): MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur CN Ui Ku AE 76 76C
- 42. *Ancylosis maculifera* Staudinger,1870** Synonymy: *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. Range (as code): MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG Uk MN Ui Ku RU Ur Sr Or Am TW CN Yu 01 03 05 06 13 16 21 35 42 46 58 65 71 76 01K 05A 06R 06Ra 06Y 06Yb 16A 42B 46G 46G1 76C
- 43. *Ancylosis morbosella* Staudinger,1879** Synonymy: *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915 Range (as code): DZ FR RU Ur TR Cc AF Kbb CN Ui Au KG Ind 05 06 12 13 42 46 58 76 05A 13F 42B 76C

- 44. *Ancylosis muliebris* (Meyrick,1937)** Synonymy: muliebris Meyrick,1937; macedonica Schawerda,1937. Range (as code): DZ TN MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb Kj Th Fa Ss Irs Ana Ke AF Kab UZ Smk 05 16 05A 16A
- 45. *Ancylosis nigripunctella* (Staudinger,1879)** Synonymy: nigripunctella Staudinger,1879; wockeella Ragonot,1887; carnibasalis Hampson,1896. Range (as code): DZ Gha TN EG EG11 MT RU TR KK KG Tk CN Ui Ku YE Ad IR Ss 46
- 46. *Ancylosis nubeculella* (Ragonot,1887)** Synonymy: nubeculella Ragonot,1887 Range (as code): TN Gf Cc AZ Nv Ord TR SD SA SA63 IR Ss PK Krc AF Srb AE 46
- 47. *Ancylosis oblitella* (Zeller,1848)** Synonymy: oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraeella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955. Range (as code): MA TN Sfx DZ Abe Bsk LY Cy PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU Sr MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP 01 06 09 13 21 31 34 42 46 65 71 76 13F 31M 42B 65D 76C
- 48. *Ancylosis ochricostella* Ragonot,1887** Synonymy: ochricostella Ragonot,1887 Range (as code): TM Kp TR AF Hr CN Ui Ku 06
- 49. *Ancylosis pallida* (Staudinger,1870)** Synonymy: pallida Staudinger,1870 Range (as code): RO GR RU Sr Or UA SA SA63 IR Elb Th Kh TR CN Ui Ga KG Uk AF Hr Kab T-S KK Na MN 42 46
- 50. *Ancylosis pectinatella* (Ragonot,1887)** Synonymy: pectinatella Ragonot,1887 Range (as code): DZ TN LY Cy Sk LB Bei BH KK ES UZ Man TR 21
- 51. *Ancylosis pyrethrella* (Herrich-Schäffer,1860)** Synonymy: pyrethrella Herrich-Schäffer,1860; strictella Mann,1861; ignibasella Ragonot,1887; inflammatella Ragonot,1901; trilineata Amsel,1961. Range (as code): RO RU MD UA BY IR Ab Sro Oru Elb Srd Mz IL Pa Hf TR KG Uk Ind LB Bei IL SA SA63 IQ Mos AF Hr TM Kp KK Ax UZ Fe Man 05 16 42 46 05A 16A
- 52. *Ancylosis rhodochrella* (Herrich-Schäffer,1855)** Synonymy: rhodochrella Herrich-Schäffer,1855; delicatella Möschler,1860; ciliatella Zeller,1872; lucida W.Warren,1888; microstictella Hampson,1903; ciliella Amsel,1961. Range (as code): DZ Lbs Orn PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb Kj Th Kh Msh Fa Shr Cc AM Eri IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN 01 03 05 06 07 16 21 27 31 42 44 46 58 71 76 05A 16A 27D 27Da 27Db 31M 44E 44Ei
- 53. *Ancylosis roscidella* (Eversmann,1844)** Synonymy: roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zohrella Oberthür,1888; carnea W.Warren,1888; bartellella Caradja,1910; benderella Amsel,1961 Range (as code): MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th Kj Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM Ui T-S 01 03 06 09 13 16 21 42 46 65 76 16A
- 54. *Ancylosis samaritanella* (Zeller,1867)** Synonymy: samaritanella Zeller,1867; urbicella Erschoff,1874; biligulella Ragonot,1887; flavescensella Chrétien,1910; diminutella Chrétien,1910; cinnamomeifascia Rothschild,1915; lacroixella Lucas,1939; brevipalpella Amsel,1954. Range (as code): Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku 01 03 06 07 16 21 42 46 06R 16A
- 55. *Ancylosis sareptalla* (Herrich-Schäffer,1861)** Synonymy: sareptalla Herrich-Schäffer,1861; barbella Lederer,1863; albidella Ragonot,1888 Range (as code): ES An FR Si IT CH AT CZ SK HU RO YU AL BG GR RU Or Sr MD UA BY TR IL Hf Pa LB Bei Bsa SY Dms KG Uk MN PK Gg AF UZ Br 03 06 07 21 38 42 46 47 58 65 06R 65A 65Am 65Am4
- 56. *Ancylosis syrtella* (Ragonot,1887)** Synonymy: syrtella Ragonot,1887; costalbella Amsel,1954 Range (as code): MA Ifr DZ Lbs Abe Bsk TN Gf Gab Sfx LY Cy IL Js Pa IR Elb Kdj Th Fa Ha Kh RU TR IQ Bsr AF Gbh CN Ui Ga KG Uk Ind 76 76A 76Aa
- 57. *Ancylosis turaniella* Ragonot,1887** Synonymy: turaniella Ragonot,1887 Range (as code): TR TM Kp AF Kbb 38 47
- 58. *Ancylosis xylinella* (Staudinger,1870)** Synonymy: xylinella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929. Range (as code): MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb 03 06 13 16 42 46 65 16A

- 59. *Anerastia lotella* (Hübner, [1813])** Synonymy: *lotella* Hübner, [1813]; *miniosella* Zincken, 1818; *incarnata* Staudinger, 1879; *dubia* Gerasimov, 1928; *dignella* Leraut, 2014 [ssp.] Range (as code): **DZ Bsk TN Gf PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO GR? DK NO SE FI EE LV LT RU MD UA Cm BY TR IR KK KG Tk Dj UZ Tas CN IMn o5 16 42 o5A 16A**
- 60. *Aphyletes nigrisparsella* (Ragonot, 1887)** Synonymy: *nigrisparsella* Ragonot, 1887; *derbentella* Caradja, 1910 Range (as code): **Cc RU Da Der TR AM KK Ik Ui Kl Ku Ga 68 68B**
- 61. *Apomyelois ceratoniae* (Zeller, 1839)** Synonymy: *ceratoniae* Zeller, 1839; *ceratoniella* Fischer Röslerstamm, 1839; *pryerella* Vaughan, 1870; *tuerckheimiella* Sorhagen, 1881; *dentilinella* Hampson, 1896; *psarella* Hampson, 1903; *rivularis* W. Warren & Rothschild, 1905; *oporedestella* Dyar, 1911; *phoenicis* Durrant, 1915; *durandi* Lucas, 1950 Range (as code): **TN Gf DZ Gha Bsk SD PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT CZ HU RO YU AL BG GR Cr CY TR IR IL Pa Hf KK Ax DK NO SE FI LV RU MD UA BY SD ZA AU ID Sum US Fl AF IN Mpr SI Ass TH o1 17 31 31A 31K 31Ka 31Ka7**
- 62. *Arimania komaroffi* (Ragonot, 1888)** Synonymy: *komaroffi* Ragonot, 1888 Range (as code): **DZ Onç TN IR Fa Es Ke Yz IQ Rwx Brs Dia Shq Ssa GR TR Cc AZ Len AM AF ?PK ?Gg ?Cls o1 o5 30 46 47 56 63 73 o1K o5E 30B 30Bt1 30Bz 30D 30Df 47D 56F 56Fb 63E 73A 73Ad 73Ad2 73C 73Ce**
- 63. *Arsissa divaricella* (Ragonot, 1887)** Synonymy: *divaricella* Ragonot, 1887; *#aurantiacella* Caradja, 1910; *velocella* Toll, 1948; *firusella* Amsel, 1961 Range (as code): **UZ Smk TR Cc GG IR Fa Sse Com Ha Ss Kh Th Elb Kdj Nss Km Kd Lo Zj SA SA63 o1 12 13 31 46 65 76 12A 12Ab 13A 13Ab 13Ax 13F 65A 65Am 65Am4 65D 65Df 65Dh 65Dt 65Dv 76C**
- 64. *Arsissa ramosella* (Herrich-Schäffer, [1855])** Synonymy: *ramosella* Herrich-Schäffer, [1855]; *albiramosella* Caradja, 1916; *caradjaella* Zerny, 1939 Range (as code): **TR RU Sr LB Bei IR Elb Th Kdv Kd Fa Sse Kdj Shr Ha Zj Kh Shh Ab TM Kp Cc AM AF Hr Kab Kbb Pnj Srb Slg PK o5 o6 13 42 45 46 47 56 58 65 70 o5A o6Y 13F 13F6 56F 56Fm 56Fs 56Fs1 65A 65Am 65Am1 65D 65Df 65Drd 65Dv 65Dh 65Dt 65Du 65F 65Fe 65Fp 65Fz 65G 65Gb 65Gf 65Gy 65N 65Np2 65Np5 65Nm 70C 70Ce**
- 65. *Artuklua mardinella* Slamka, 2019** Synonymy: *#mardinella* B.-H.; *mardinella* Slamka, 2019 Range (as code): **IR Fa Shr AF Nu TR 47**
- 66. *Asalebria (Exophora) exasperata* (Staudinger, 1879)** Synonymy: *exasperata* Staudinger, 1879; *#exaspersata* Roesler, 1988 Range (as code): **TR Cc AM Eri IR Ha Kd o1 o5 o6 o8 13 21 25 30 32 38 42 46 47 58 65 76 o1K o5A o6R 13F 13F6 13F11 13F18 13F25a 13F40 13F41 13F42 30D 30Dt 42B 65A 65Ac 65Ac3 65At 65At5 65D 65Df 65F 65Fp 65Fz 65G 65Ge 65Gü 65Gz 76C**
- 67. *Asalebria florella* (Mann, 1862)** Synonymy: *florella* Mann, 1862; *chiclanensis* Staudinger, 1870; *syriella* Amsel, 1954; *joesti* Amsel, 1954; *vartianae* Roesler, 1969 Range (as code): **MA DZ TN Gf PT ES Grn Mu An Sa Co IT FR DE RU RO BG HV DI MK AL GR Kf Tyg TR LB Bsa TR SY Ltk IL Hf Pa Cr o6 o9 13 16 31 42 46 65 13A 13Ab 13Ax 16A 31M 65D 65Dv 65F 65Fp 65Fz 65N 65Nc 65Nc4**
- 68. *Asalebria geminella* (Eversmann, 1844) (Figs. 1-4)**
Synonymy: *geminella* Eversmann, 1844
Range (as code): **PT ES HU BG Ril TR RU Ur Om KG Uk 13 30 65 13F 13F01 13F18 13F35 13F41 30B 30Bc1 30Bc 30Bz 65A 65Ai 65Am 65Am1 65D 65Dl 65Dlc 65Do 65Kl6 65Z**
Remarks: Slamka (2019: 68) mentioned this species from Turkey doubtful.
In the updated list of the Lepidoptera of Turkey, Koçak & Kemal (2018: 284) reported this species from Turkey (Bitlis, Hakkari and Van Provinces). Previously, Kemal & Koçak (2012: fig. 14), illustrated this species from Dez Valley [30Bc1] (Hakkari Province, SE Turkey). Koçak & Kemal (2015: 91) listed this species from Hakkari Province. Kemal & Koçak (2017: 165) recorded this species from Van Province (Bahçesaray) [65A], also with Map 12 (*l.c.*, 220). Kemal & Koçak (2018: 186) reported this species from Zap Valley [30Bz] (Hakkari Province). Unfortunately, all these publications were overlooked by Slamka (2019).
In the present paper, illustrations of this species (adult, male genitalia and tympanal organ) are given from East Turkey (Van Province, Bahçesaray).
Material studied: 1♀. East Turkey, Van Province, Çatak, Akçabük 1790m (65Do), 16.vii.2005. 2♂ (GP3205), Van Province, Bahçesaray, Paşaköy 1600m (65Ai), 25.vi.2016. - 2♂. Bahçesaray, Paşaköy 1600m, from same place, 5.vii.2016. - 3♂. Bahçesaray, Mukus valley 1760m (65Am1), 6.vii.2016. - 1♂. Erek Mt. 2135m (65Kl6), 3.viii.2018. All the material: M. Kemal & A. Koçak leg. (Cesa).



Figs. 1-4 – *Asalebria geminella*. Upperside of the male, male genitalia (GP3205), last abdominal segment, tympanal organs (before and after preparation). East Turkey, Van Province, Bahçesaray, Paşaköy 1600m, 25.vi.2016. M.Kemal (Cesa)

- 69. *Asalebria macrodontella* (Ragonot, 1887)** Synonymy: *macrodontella* Ragonot, 1887; *burkhunella* Ragonot, 1888 Range (as code): Cc AM TR UZ Bu Fe Ui Ku Au KG Uk Tk Dj UZ RU Or
- 70. *Asalebria pseudoflorella* (Schmidt, 1934)** Synonymy: *pseudoflorella* Schmidt, 1934 Range (as code): ES Mu TR 13 13F 13F35
- 71. *Asalebria venustella* (Ragonot, 1887)** Synonymy: *venustella* Ragonot, 1887; *intricatella* Ragonot, 1887; *palella* Caradja, 1916 Range (as code): PT ES Mu FR Sa RU Sr TR Cc AM Eri IR Ss TM Kp KG Tar Ssn Ui Au Ku MN 46 71 76 46L 76C
- 72. *Asarta ciliciella* Staudinger, 1879** Synonymy: *ciliciella* Staudinger, 1879 Range (as code): TR 33
- 73. *Assara turciella* Roesler, 1973** Synonymy: *turciella* Roesler, 1973 Range (as code): TR 07 33
- 74. *Bradyrrhoa* (Kasikoparania) *mesobaphella* Ragonot, 1888** Synonymy: *mesobaphella* Ragonot, 1888 Range (as code): Cc TR 65 76 65A 65Ab 65Aba 65Ac 65Ac3 76C
- 75. *Bradyrrhoa* (s.str.) *cantenerella* (Duponchel, 1837)** Synonymy: *cantenerella* Duponchel, 1837; *ravella* Heydenreich, 1851; *subflavella* Ragonot, 1887; *sardicolella* Schawerda, 1936; *variegatella* Lucas, 1948; *brunneella* Lucas, 1955 Range (as code): MA DZ TN PT ES FR Co Sa Si IT MT CH YU MK GR TR Cc AM KK Na 05 06 16 31 46 05A 16A

- 76. *Bradyrrhoa* (s.str.) *confiniella* Zeller, 1848** Synonymy: *confiniella* Zeller, 1848; *remotella* Mann, 1867; *nubigerella* Ragonot, 1887; *ifraneella* Lucas, 1956; *ebertella* Roesler, 1969 Range (as code): MA Ifr Co Si IT MT YU AL BG GR Cr TR SY IL Pa LB Bei CY RU UA Cm 16 33 41 47 16A
- 77. *Bradyrrhoa* (s.str.) *gilveolella* (Treitschke, 1833)** Synonymy: *gilveolella* Treitschke, 1833 Range (as code): Si RO YU AL MK BG GR TR IR Ab Cc AM Eri RU UA Cm KK Na AU 01 05 06 13 16 21 22 23 29 30 31 44 51 38 42 44 46 51 56 58 65 71 77 01L 01Lb 01Le 01Lf 01Lk 05A 13A 13Ab 13Ac 13Ac2 13Ac 13Ag 13Ax 13F 13F38 13F6 13F01 13F7 13F71 13F74 13F11 13F38 13F41 16A 21N 21Nb 30B 30Be1 30Bt1 30Bz 30D 30Dx 31M 44E 44Eh 44I 44Ic 44L 44Lc 56F 56F1 65A 65Ac 65Ac3 65Am 65Am4 65D 65Df 65Dh 65F 65Fp 65Fz 65G 65Gb 65K 65Kl6 65Z 65N 65Np2 65Np5 65Nr2 65Nm
- 78. *Bradyrrhoa* (s.str.) *imperialella* (Ragonot, 1887)** Synonymy: *imperialella* Ragonot, 1887 Range (as code): IT MK BG GR Cc GG Smt Bjo TR RU Sb 13 65 76 13F 13F25 65A 65Am 65Am4 65D 65Df 65Dv 76C
- 79. *Bradyrrhoa* (s.str.) *trapezella* (Duponchel, 1836)** Synonymy: *trapezella* Duponchel, 1836; *cinerella* Duponchel, 1836; *saxeella* Zeller, 1848; *chalcedoniella* Herrisch-Schäffer, 1851; *seniella* Staudinger, 1879; *petryi* Schawerda, 1933 Range (as code): Cn TN DhM FR Co Sa Si IT HV YU MK BG GR TR TM 05 16 38 42 46 05A 16A
- 80. *Cadra* *abstersella* (Zeller, 1847)** Synonymy: *abstersella* Zeller, 1847; *bacillella* Ragonot, 1887; *habenella* Ragonot, 1887; *liguriella* Amsel, 1954 Range (as code): DZ Gha ES Mu FR Co Si IT MT YU AL GR Cr TR IL Hf Pa LB Bei Bsa SY Dms 16 21 42 46 16A
- 81. *Cadra* *calidella* (Guenée, 1845)** Synonymy: *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859. Range (as code): DZ Bsk Ajj PT ES FR Si IT MT IE GB NL DE CH AT CZ SK YU GR TR IQ Amr Bgd IL Pa Hf EG SA DK NO SE FI RU MD UA BY ZA 06 13 46 61 13F
- 82. *Cadra* *cautella* (Walker, 1863)** Synonymy: *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959 Range (as code): Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW 03 06 21 38 42 46
- 83. *Cadra* *delattinella* Roesler, 1965** Synonymy: *delattinella* Roesler, 1965 Range (as code): TR GR Cr LB Bei IR Elb Th Kdj Fa Shr AF Bd Shv 06 16 38 42 65 42B
- 84. *Cadra* *figulilella* (Gregson, 1871)** Synonymy: *figulilella* Gregson, 1871; *ficulella* Barrett, 1875; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965. Range (as code): Cn MR MA DZ Bsk TN Gf LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU 13 31 34 46 71 76 13F 31M 76C
- 85. *Cadra* *furcatella* (Herrich-Schäffer, [1849])** Synonymy: *furcatella* Herrich-Schäffer, [1849] Range (as code): IR Fa Elb LB IQ Cc AZ GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU 01 03 05 06 09 13 16 21 31 42 44 46 65 71 01K 05A 13F 13F6 13F71 16A 31M 65A 65Ab 65Aba 65D 65Df 65Du 65G 65Gb
- 86. *Catastia* *acraspedella* (Staudinger, 1879)** Synonymy: *acraspedella* Staudinger, 1879 Range (as code): TR Cc GG Bjo RU Mjk 08 53 75 53B 75F 75Fg
- 87. *Catastia* *marginata* ([Denis & Schiffermüller], 1775)** Synonymy: *marginata* [Denis & Schiffermüller], 1775; *atrella* Fabricius, 1793; *auriciliella* Hübner, [1813]; *antiopella* Zincken, 1818; *auricella* Zetterstedt, 1839; *orcusella* Schawerda, 1908; *pindosella* Roesler, 1969 Range (as code): FR IT GB DE CH AT PL CZ SK HU RO YU B-H BG GR TR Cc AM NO SE FI RU MD UA BY 25 33 46 61
- 88. *Ceutholopha* *isidis* (Zeller, 1867)** Synonymy: *isidis* Zeller, 1867; *gilvibasella* Ragonot, 1888; *aequalisella* Lucas, 1948; *parallelolineata* Lucas, 1950. Range (as code): TR TN DZ Bsk Cst Ajj MT MA Co PT EG LY Cy CY AF PK Krc Sd Swa Kkar IN LK IR Ss Irs Ana Ke AE KE NA ZA 63 63D 63De
- 89. *Cnephidia* *serraticornella* (Zeller, 1839)** Synonymy: *serraticornella* Zeller, 1839; *gregella* Eversmann, 1844; *zernyi* Toll, 1942; *rungsella* D. Lucas, 1942; *ifraneella* D. Lucas, 1956; *kairouanensis* Leraut, 2003 Range (as code): MA Ifr DZ Orn TN SK HU RO YU BG GR TR IQ Ama RU Sb At IR TM KG 13 42 46 13F 13F6 42B
- 90. *Coenochroa* *ablutella* (Zeller, 1839)** Synonymy: *ablutella* Zeller, 1839; *flaveolella* Ragonot, 1887; *stigmatellus* Ragonot, 1888; *seeboldi* Ragonot, 1894; *korbi* Caradja, 1910; *majorella* Rothschild, 1913; *buxtoni* Rothschild, 1921 Range (as code): Cn Md MA Rbt DZ Ajj Bsk Onç Ogl Gle PT ES Grn FR Si IT RO YU BG GR Cr TR

CY UA Cm RU Cc Da AZ Kir IQ Bgd Mos Kbl IR Mz Qz Ss Irs Fa Shr Th Kdj Se KuB Kz Com IL Hf Pa TE LB JO EG TM
Kp KG Tk AF UZ KK PK Sd Krc YE IN MM ZA NG ZR SD AE 01 05 06 13 23 35 42 45 46 05A 13F

- 91. Cryptoblabes gnidiella (Millière, 1867)** Synonymy: gnidiella Millière, 1867; wockiana Briosi, [1877]; aliena Swezey, 1909 Range (as code): Cn PT ES FR Sa Si IT MT GB NL AT GR TR IL Pa Hf EG JO DK NO SE FI TH Hw NZ BR UY MY ZA ZW 01 33 80
- 92. Delplanqueia dilutella ([Denis & Schiffermüller], 1775)** Synonymy: dilutella [Denis & Schiffermüller], 1775; diluta Haworth, 1811; dilutalis Hübner, [1825]; adornatella Treitschke, 1835; subornatella Duponchel, 1837; serphylletorum Zeller, 1839; integella Staudinger, 1859; integrella Wocke, 1871; magna Amsel, 1954; somonlunella Roesler, 1970 Range (as code): PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Th MN
- 93. Delplanqueia inscriptella (Duponchel, 1837)** Synonymy: inscriptella Duponchel, 1837; diffusa Staudinger, 1881 Range (as code): DZ ES FR IT GR TR 05 06 16 34 42 46 05A 06R 16A 42B
- 94. Denticera divisella (Duponchel, 1842)** Synonymy: divisella Duponchel, 1842; euphorbiella Zeller, 1846; albiricella Herrich-Schäffer, 1849; sardzeella Amsel, 1961. Range (as code): MA DZ Ajj ES FR Sa Si IT MT YU BG GR TR IR IL Pa Hf IQ Rwz Dia Shq GM ZA Nta Kzu YE Ad PK Sd Krc LK 01 02 05 13 27 33 44 46 56 72 02F 02Fe 02Fz 05A 13F 13Fo1 13F35 13F42 27D 27Db 33A 33Aj 44I 44Ic 56F
- 95. Dioryctria abietella (Fabricius, 1787)** Synonymy: #abietella [Denis & Schiffermüller], 1775; abietella Fabricius, 1787 Range (as code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Sb IN TH TW KP JP
- 96. Dioryctria mendacella (Staudinger, 1859)** Synonymy: mendacella Staudinger, 1859; #mendacella Rebel, 1939 Range (as code): PT ES FR Co Si IT MT YU GR TR CY IL Pa Hf 01 07 33 80 01H 33A 33Ac 33Ak 33Ar
- 97. Dioryctria resiniphila Segerer & Pröse, 1997** Synonymy: resiniphila Segerer & Pröse, 1997 Range (as code): GT TR Ui 14
- 98. Dioryctria simplicella Heinemann, 1863** Synonymy: simplicella Heinemann, 1863; mutata Fuchs, 1903. Range (as code): FR GB BE NL LU DE CH AT CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR 06 53
- 99. Dioryctria sylvestrella (Ratzeburg, 1840)** Synonymy: sylvestrella Ratzeburg, 1840; splendidella sensu auct. Range (as code): PT ES Mu FR Co Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY TH 08 16 75 08H 08Hc 16A 75F 75Fb
- 100. Ecbatania holopyrrhella (Ragonot, 1888)** Synonymy: holopyrrhella Ragonot, 1888 Range (as code): Cc TR IR Elb Mz 13 46 65 76 13F 13F41 46G 65N 65Np 65Nm 76C
- 101. Eccopisa effractella Zeller, 1848** Synonymy: effractella Zeller, 1848 Range (as code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO B-H MK BG GR LV LT RU UA TR Cc AM IR Gh Tgo 16 58 16A
- 102. Elegia atrifasciella Ragonot, 1887** Synonymy: atrifasciella Ragonot, 1887 Range (as code): PT ES FR IT Co AT SS HV AL MK BG HU RO CZ TR LB IQ Cc GG Lag Cm 05 27 31 46
- 103. Elegia fallax (Staudinger, 1881)** Synonymy: fallax Staudinger, 1881; nigribasella Ragonot, 1895 Range (as code): MA PT ES TR 05 06 13 30 31 42 05A 06R 13F 13F18 13F19 13F35 13F38 13F41 13F7 13F71 30D 30Df 31M 42B
- 104. Elegia iozona (Meyrick, 1937)** Synonymy: iozona Meyrick, 1937; elegiella Amsel, 1954 Range (as code): LB IQ Dia Rwz TR IR Fa Shr 23 23M
- 105. Ematheudes punctellus (Treitschke, 1833)** Synonymy: punctellus Treitschke, 1833; pseudopunctellus Ragonot, 1888; tunesiella Ragonot, 1892 Range (as code): MA DZ Anna Cst Btina Phv Eba Bsk TN Gf PT ES FR Co Sa Si IT MT BE CH AT CZ SK HU RO YU AL BG GR Cr TR RU MD UA Cm BY IR Elb Th Ha Fa Kdj Shr Sse Kh CY EG IL Pa Hf LB JO KG Tk UZ Tas TM 01 05 06 13 16 27 31 33 34 35 38 42 46 48 71 80 05A 13F 13F6 16A 31K 31Ka3 31M 48L 80B 80Bc
- 106. Ematheudes varicellus Ragonot, 1887** Synonymy: varicella Ragonot, 1887 Range (as code): UZ Fe Cc GG Tbl AM TR IR Shh Gor 01 31 65 76 31M 65N 65Np2 65Nm 76C
- 107. Ematheudes vitellinellus Ragonot, 1887** Synonymy: vitellinella Ragonot, 1887; #vittelinella Amsel, 1949 Range (as code): Cc GG TR IR Ahz IQ Bgd Shq 46

- 108.Emmalocera lucidicostella Ragonot,1888** Synonymy: lucidicostella Ragonot,1888 Range (as code): TR IN 33 33R 33Rb
- 109.Ephestia (Anagasta) cypriusella Roesler,1965** Synonymy: cypriusella Roesler,1965 Range (as code): GR CY TR LB Bei 06 09
- 110.Ephestia (Anagasta) kuehniella Zeller,1879** Synonymy: kuehniella Zeller,1879; fuscofasciella Ragonot,1887; gitoniella Druce,1896; lunella Noel,1904; ischnomorpha Meyrick,1931; #kueniella Hutacharern & Tubtim,1995 Range (as code): DZ Hdr MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch SA CN Kgs JP TH TW MX NZ AU ZA 01 06
- 111.Ephestia (Anagasta) welseriella (Zeller,1848)** Synonymy: welseriella Zeller,1848; modestella Lederer,1863; tephriella Lederer,1870; rhenanella Fuchs,1877; suffusella Ragonot,1901; immodestella Rebel,1916; superbella Lucas,1954; capricola Hampson,1927 Range (as code): LY Cy DZ MA TN Gf PT ES Mu FR Co Sa Si IT MT DE CH AT HU RO YU HV MK AL BG GR Cr TR IL Hf Pa LB Bsa Bei RU Cc GG AM AZ IR Mz Elb 05 06 13 16 30 36 42 44 45 46 65 71 05A 13A 13Ab 13Ax 13F 13F35 16A 30B 30Bt1 30Bz 36D 36Db 44L 44Lc 65A 65Am 65Am1 65D 65Df 65F 65Fp 65Fz
- 112.Ephestia (s.str.) disparella Hampson,1901** Synonymy: disparella Hampson,1901; rectifasciella Turati,1913; semicostella Turati,1934. Range (as code): Cn MA DZ TN Gf LY Cy PT ES An Mu FR Co Sa IT YU HV MK B-H AL BG GR Cr TR Cc LB Bsa Bro Bmm IL Hf Js Jt Pa SY Dms 01 03 05 06 07 09 16 21 31 34 35 42 46 76 01K 05A 16A 31M 76C
- 113.Ephestia (s.str.) elutella (Hübner,1796)** Synonymy: elutella Hübner,1796; semirufa Haworth,1811; rufa Haworth,1811; angusta Haworth,1811; sericarium Scott,1859; roxburghii Gregson,1873; infumatella Ragonot,1887; affusella Ragonot,1888; icosiella Ragonot,1888; amarella Dyar,1904; pterogrisella Roesler,1965 Range (as code): Md Cn MA DZ Anna TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY KG Uk AF PK Ch NP CN KP KR JP TH TW AU ZA 05 06 16 34 46 76 05A 16A 76C
- 114.Ephestia (s.str.) mistralella (Millière,1874)** Synonymy: mistralella Millière,1874; moebiusi Rebel,1906; metoenella Zerny,1927. Range (as code): MA PT ES Mu FR Co DE DK NO SE FI EE TR? 13 13F 13F01 13F35
- 115.Ephestia (s.str.) unicolorella Staudinger,1881** Synonymy: unicolorella Staudinger,1881; personata Gerasimov,1930; intermediella Amsel,1961. Range (as code): FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr CY TR RU Or IR Elb Th Fa Cc AZ Kir AF Bm Srb IL Hf Pa Js LB Bei Bsa SY Dms KG Uk 01 03 05 06 13 16 21 31 33 34 42 44 46 65 80 05A 13F 31M
- 116.Epichalcia amasiella Roesler,1969** Synonymy: amasiella Roesler,1969 Range (as code): TR 05 05A
- 117.Epiepischnia pseudolydella Amsel,1954** Synonymy: pseudolydella Amsel,1954 Range (as code): TR IQ Shq Hjo IR Fa Sse Elb Th Kdj 02 04 06 13 30 44 46 65 71 02F 02Fe 02Fz 04C 04Cf 06R 13A 13Ab 13Ax 13F 13F6 30B 30Bc 30Br 30Bt1 30Bz 44E 44Ei 65A 65Am 65Am3 65At 65At5 65D 65F 65Fp 65Fz 65G 65Gf 65Gy 65L 65Le 65N 65Np6 65Nm
- 118.Epischidia caesariella (Ragonot,1901)** Synonymy: caesariella Ragonot,1901 Range (as code): MA TN TR SY MN TM Kp 38 42 42B
- 119.Epischnia adultella Zeller,1848** Synonymy: adultella Zeller,1848; gregariella Erschoff,1877; zophodiella Ragonot,1887; mongolica Amsel,1954 Range (as code): TR CN Ui Ku MN U-B TM Kp Cc AM Da RU Am IR Elb Kdv 76 76C
- 120.Epischnia albunculella (Staudinger,1879)** Synonymy: albunculella Staudinger,1879; rhectogramma Meyrick,1937; albunculella Ragonot & Hampson,1901 Range (as code): TR IQ Ry IR Fa Mz Elb Pdv Plr Dam TM Kp 05 06 13 30 38 42 46 65 76 05A 13F 30B 30Bt1 30Bz 76C
- 121.Epischnia asteris Staudinger,1870** Synonymy: asteris Staudinger,1870; banksiella Richardson,1888; obscura Ragonot,1893; peroni Agenjo,1948 Range (as code): ES GB FR IL TR 05 05A
- 122.Epischnia cretaciella Mann,1869** Synonymy: cretaciella Mann,1869; cuculliella Ragonot,1887; demartinella Turati,1922. Range (as code): YU GR RU Sr TR Cc IL Pa IR Kdj Fa Com Sse JO Cy LY MD UA BY KG Uk TR Cc AZ Nv Ord IR Elb Kdv Dam Mz 05 16 42 46 76 05A 16A
- 123.Epischnia illotella Zeller,1839** Synonymy: illotella Zeller,1839; asteriscella Millière,1873; alfacarella Amsel,1954; #micronella Roesler,1969 Range (as code): DZ Bsk Ges TN Gf PT ES Mu FR Co Sa Si IT MT DE SK RO

YU MK AL GR Cr RU MD UA BY TR KG Uk CY IL Pa LB Bsa Bmm EG 16 31 42 44 65 76 16A 31M 44L 44Lc 65A 65Ai 76A 76Aa

- 124. *Epischnia leucomixtella* Ragonot, 1887** Synonymy: leucomixtella Ragonot, 1887; bicornutella Amsel, 1961 Range (as code): Cc GG Tbl TR IR Fa Sse Th LB Ale 42
- 125. *Epischnia muscidella* Ragonot, 1887** Synonymy: muscidella Ragonot, 1887 Range (as code): TR LB Bsa 05 42 05A
- 126. *Epischnia prodromella* (Hübner, [1799])** Synonymy: prodromella Hübner, [1799]; #prodromella Rebel, 1939 Range (as code): DZ Bsk Ges TN Gf PT ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM SY IR Shh Gor Mz Elb IL Pa Hf LB CY TM Kp KG Uk RU MD UA BY 01 05 06 08 13 16 21 27 30 31 32 34 42 44 46 56 58 65 72 05A 08H 08Ha 13A 13Ac 13Ac2 13Ax 13F 13F18 13F35 13F38 13F41 16A 21L 21Lc 27D 27Da 30B 30Bç1 30Bt1 30Bz 31M 44E 44Ei 44I 44Ic 56F 56F1 65A 65Am 65Am1 65Am4 65D 65N 65Nc 65Nc4 65Nr7 65Nm
- 127. *Epischnia soritella* Lederer, 1858** Synonymy: soritella Lederer, 1858 Range (as code): TR SY Dms 45 46 46L
- 128. *Epischnia stenopterella* Rebel, 1910** Synonymy: stenopterella Rebel, 1910 Range (as code): TR 46 46L
- 129. *Episcythrastis* sp. -** Range (as code): TR 65 65A 65Ab 65Aba
- 130. *Episcythrastis tabidella* (Mann, 1864)** Synonymy: tabidella Mann, 1864; griseella Ragonot, 1887; constanti Ragonot, 1893; heringi Hartig, 1938; demawendella Zerny, 1939 Range (as code): ES FR Co Sa YU AL BG TR RU Sr Cc GG Tbl Bjo IR Elb Dam LB UA Cm 05 13 16 31 76 05A 13F 13F19 13F20 16A 31M 76C
- 131. *Episcythrastis tetricella* ([Denis & Schiffermüller], 1775)** Synonymy: tetricella [Denis & Schiffermüller], 1775; tetrica Fabricius, 1798; chrysorrhoeella Zincken, 1818; plumbaginella Eversmann, 1844; amurensis Ragonot, 1887; alternella Lewin, 1942 Range (as code): FR Co IT DE CH AT PL CZ SK HU RO YU BG TR NO SE FI EE LV LT RU Am MD UA BY 16 16A
- 132. *Etiella zinckenella* (Treitschke, 1832)** Synonymy: marginella Fabricius, 1781 nec Den. & Schiff., 1775; zinckenella Treitschke, 1832; etiella Treitschke, 1835; majorellus Costa, 1836; colonnellus Costa, 1836; dymnusalis Walker, 1859; heraldella Guenée, 1862; anticalis Walker, 1863; indicatalis Walker, 1863; hastiferella Walker, 1866; decipiens Staudinger, 1870; spartiella Rondani, 1876; sabulinus Butler, 1879; madagascariensis Saalmüller, 1880; schisticolor Zeller, 1881; villosella Hulst, 1887; rubribasella Hulst, 1890; #tiella Pinhey, 1975. Range (as code): PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ MA NA TN LY EG GW LB SL GA CM NG NE Gg Cls GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZF ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH Cma Cnz Cz10 Cz11 ID Sum Sbh AE Fa Shr Com Se Ha Th Elb Kuh Ss Kdj 01 05 06 09 13 16 17 30 31 33 39 44 46 58 65 71 76 80 01L 01Le 01Lf 01Lk 05A 09K 09Ka 13A 13Ab 13Ax 13F 16A 30B 30Bc 30Bc5 30Bz 31M 33A 33Ac 33Ac 44E 44Ei 44L 44Lc 65N 65Nc2 65Np 65Np5 65Nm 76A 76Ac 76B 76Bb
- 133. *Eucarpia vinetella* (Fabricius, 1787)** Synonymy: vinetella Fabricius, 1787; vinetorum Fabricius, 1798; vinetalis Hübner, [1825]. Range (as code): FR IT DE AT HU YU RU Sr At Cc AM TR MD UA BY MN CN Shs 75 75F 75Fd
- 134. *Eurhodope* (*Eurhobasis*) *aeneella* (Zerny, 1914)** Synonymy: aeneella Zerny, 1914 Range (as code): IL Pa Hf TR 21
- 135. *Eurhodope* (*Eurhobasis*) *cinerea* (Staudinger, 1879)** Synonymy: cinerea Staudinger, 1879; buxtoni Rothschild, 1921 Range (as code): LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY 31 35 42 31M
- 136. *Eurhodope* (*Eurhobasis*) *lutescentella* (Caradja, 1916)** Synonymy: lutescentella Caradja, 1916 Range (as code): TR 47
- 137. *Eurhodope* (s.str.) *incompta* (Zeller, 1847)** Synonymy: incompta Zeller, 1847 Range (as code): IT MK GR Cr Rd TR CY IL Pa 07 32 39 45 48 07F 45L 48D 48G
- 138. *Eurhodope* (s.str.) *monogrammos* (Zeller, 1867)** Synonymy: monogrammos Zeller, 1867; homochromella Amsel, 1961; melanella Roesler, 1969 Range (as code): AL BG IQ JO IL Pa IR TR 01 05 06 13 16 30 31 33 42 46 50 71 01A 05A 13F 16A 30B 30Bç 30Bt1 30Bz 30D 30Df

- 139. Eurhodope (s.str.) rosella (Scopoli, 1763)** Synonymy: rosella Scopoli, 1763; pudoralis Denis & Schiffermüller, 1775; pudorella Hübner, 1796; pudorana Frölich, 1828 Range (as code): ES FR Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR SE LT TR Cc KG Uk Ui Ln RU Da Cc 05 16 34 75 05A 16A 34H 75F 75Fb 75Fd
- 140. Eurhodope (s.str.) sielmannella Roesler, 1969** Synonymy: sielmannella Roesler, 1969; #sielmanella Roesler, 1969 Range (as code): TR GR Cr 09 09K
- 141. Euzophera (Cymbalorissa) fuliginosella (Heinemann, 1865)** Synonymy: fuliginosella Heinemann, 1865; polyxenella Millière, 1872. Range (as code): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU MK BG GR TR IR Mz Gh Tgo DK SE FI EE LV LT RU MD UA BY 46
- 142. Euzophera (s.str.) alpherakyella Ragonot, 1887** Synonymy: alpherakyella Ragonot, 1887; #alpherakyi Zerny, 1914 Range (as code): TR IR Fa Elb KJ Th AF Pag PK Gg Hu Ch TM Kp KG Uk Tk Dj Ui Ku T-S DsA 65 65N 65Np6 65Nm
- 143. Euzophera (s.str.) bigella (Zeller, 1848)** Synonymy: bigella Zeller, 1848; stenoptycha Herrich-Schäffer, 1855; bisinuella Ragonot, 1887; punicaeella Moore, 1891; immundella Ragonot, 1901; angulella Chrétien, 1922; renulella Constantini, 1922 Range (as code): DZ Bsk TN Gf Sfx MA PT ES An Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H HV MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY DK RU LB Bei IQ Mos AF Pli NP UZ Br TM K-K Kp 01 05 06 07 09 13 16 21 31 33 34 35 46 47 65 73 76 05A 09K 13F 16A 31M 73A 73Ae 76C
- 144. Euzophera (s.str.) cinerosella (Zeller, 1839)** Synonymy: cinerosella Zeller, 1839; incanella Eversmann, 1844; artemisiella Stainton, 1859; pimeleella Zerny, 1934. Range (as code): ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv LB IL Hf Pa CY KG Uk Ind Ui Ku MN 06 13 16 46 13F 16A
- 145. Euzophera (s.str.) fibigerella Asselbergs, 1997** Synonymy: fibigerella Asselbergs, 1997 Range (as code): TR 27
- 146. Euzophera (s.str.) flagella (Lederer, 1869)** Synonymy: flagella Lederer, 1869 Range (as code): IR Ha Shh Gor Srd TR IL Pa TM Kp 13 21 46 65 13F 65D 65Dv
- 147. Euzophera (s.str.) formosella (Rebel, 1910)** Synonymy: formosella Rebel, 1910 Range (as code): GR RU UA Cm TR IQ Kbl IR Elb Th Fa Kz Com CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku 65 65A 65Abc
- 148. Euzophera (s.str.) hulli Asselbergs, 2009** Synonymy: #hulli Asselbergs, 2009 Range (as code): TR 38
- 149. Euzophera (s.str.) imperfectella Ragonot, 1895** Synonymy: imperfectella Ragonot, 1895; xylomorpha Meyrick, 1937. Range (as code): TR IL Hf Pa IQ Ry Shq IR Fa 13 23 31 46 56 65 13A 13Ab 13Ax 13F 31F 31M 56F 56F1 56Fm 65D 65Df 65Fz 65N 65Np2 65Nm
- 150. Euzophera (s.str.) luculentella Ragonot, 1888** Synonymy: luculentella Ragonot, 1888 Range (as code): TR Cc IR Fa SD SD45 46 65 76 65G 65Gb 65Gü 65Gz 76C
- 151. Euzophera (s.str.) lunulella (Costa, 1836)** Synonymy: lunulella Costa, 1836; corcyrella Herrich-Schäffer, 1851. Range (as code): MA DZ TN Gf LY Cy SA ES Grn Mu FR Si IT MT LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl 38 42 44 45 46 71 38E 44E 44Ee
- 152. Euzophera (s.str.) osseatella (Treitschke, 1832)** Synonymy: osseatella Treitschke, 1832; arcuatella Ragonot, 1901. Range (as code): MA DZ Cst Bsk Gf TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke 16 46 47 16A
- 153. Euzophera (s.str.) pinguis (Haworth, [1811])** Synonymy: pinguis Haworth, [1811]; fischeri Zeller, 1846; splendidella Herrich-Schäffer, 1848. Range (as code): MA DZ Anna Orn Bsk TN Gf PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA LB Bsa TR IR Fa Cc AM 06 07 13 21 46 13F
- 154. Euzophera (s.str.) pulchella Ragonot, 1887** Synonymy: pulchella Ragonot, 1887; xylomorpha Meyrick, 1937 Range (as code): B-H MK BG GR IQ Shq Ama Ry TR IL Hf Jf Pa 06 46 47 06R
- 155. Euzophera (s.str.) rubricetella (Herrich-Schäffer, 1855)** Synonymy: rubricetella Herrich-Schäffer, [1856] Range (as code): RU Sr TR KG Uk IR Elb Mz 16 46 16A 46L

- 156. Euzophera (s.str.) umbrosella (Staudinger, 1879)** Synonymy: umbrosella Staudinger, 1879; albogilvella Ragonot, 1887; depauperatella Ragonot, 1901. Range (as code): GR Cr CY TR IL Hf Js Pa Cc AZ Nv Ord LB Bei 23 46 58 65 46G 46Gf 58N 65D 65Du
- 157. Euzopherodes charlottae (Rebel, 1914)** Synonymy: charlottae Rebel, 1914; nigrolineella Zerny, 1936 Range (as code): MA FR AT CZ SK HU RO YU HV AL BG GR TR LB IL Js SY Dms 12 13 16 31 46 12E 12Ec 13F 16A 31M
- 158. Euzopherodes lutisignella (Mann, 1869)** Synonymy: lutisignella Mann, 1869; leonhardi Rebel, 1910; scipionella Turati, 1924; battella Turati, 1924. Range (as code): Si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ R wz IR Elb Th Kj Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp 02 13 21 23 30 31 33 35 38 42 44 46 47 56 65 02F 02Fe 02Fz 13F 30B 30Bt1 30Bz 30D 30Df 31M 33A 33Ad 33Ae 33Ak 42B 42J 44E 44Ei 47D 47Dc 56F 56Fg 65D 65Dt
- 159. Euzopherodes vapidella (Mann, 1857)** Synonymy: vapidella Mann, 1857; tenebrosa Zeller, 1867; lutescentella Chrétien, 1911; xylobrunnea Amsel, 1951. Range (as code): MA DZ TN Gf LY Cy PT ES Grn FR Sa Si MT CH AT HU RO YU HV B-H MK AL BG GR TR IL Hf Jt Js Pa JO LB Bei EG EG11 SA SA63 SD IR Ss 05 16 23 34 35 46 47 05A 16A
- 160. Farsia miridella (Ragonot, 1893)** Synonymy: miridella Ragonot, 1893; pallorella Amsel, 1961; incertella Amsel, 1970. Range (as code): TR IR Fa AF Hr 47 47D
- 161. Faveria dionysia (Zeller, 1846)** Synonymy: dionysia Zeller, 1846; terrella Ragonot, 1888; isoxyla Meyrick, 1937; tsherenkovi Gerasimov, 1940 Range (as code): MA TN Gf DZ Bsk PT ES Si IT MT YU GR Cr Rd CY TR IQ Mos Bgd IR Ahz Kz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh TZ Zz GM IL Pa Hf AE 01 09
- 162. Faveria sp.** Range (as code): TR 65 65A 65Ab 65Aba
- 163. Glyptoteles leucacrinella Zeller, 1848** Synonymy: leucacrinella Zeller, 1848; macra Staudinger, 1870. Range (as code): FR IT BE NL DE CH AT PL CZ SK HU RO YU LT RU Sr MD UA TR 31 31M
- 164. Gymnancyla canella ([Denis & Schiffermüller], 1775)** Synonymy: canella [Denis & Schiffermüller], 1775; depositella Zincken, 1818; canellaris Hübner, [1825]. Range (as code): MA DZ Phv TN LY Cy EG SD ES Mu Cue FR Co IT MT GB BE NL LU DE CH AT PL CZ HU RO HV YU AL BG GR Cr TR KG Uk DK RU Ur 05 06 13 33 42 05A 13A 13Ab 13Ax 13F 13F35 42B
- 165. Gymnancyla gilvella (Ragonot, 1887)** Synonymy: gilvella Ragonot, 1887 Range (as code): Cn MA DZ Bsk Ajj TN Gf LY Cy EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man Ui Ku 76 76C
- 166. Gymnancyla hornigii (Lederer, 1852)** Synonymy: hornigii Lederer, 1852; debilis Caradja, 1916; #hornigi Hannemann, 1964 Range (as code): MA DZ TN LY Cy EG SD ES Mu FR IT DE AT PL CZ SK HU RO YU AL BG GR RU UA IQ Bsr Bgd Amr TR 06
- 167. Gymnancyla leuchochrella (Herrich-Schäffer, [1855])** Synonymy: leucochrella Herrich-Schäffer, [1855]. Range (as code): TR IR Ha Kj Th Elb Kd EG 05 65 05A 65D 65Dt
- 168. Gymnancyla nomiella (Ragonot, 1887)** Synonymy: nomiella Ragonot, 1887; atrisparsella Ragonot, 1887. Range (as code): Cc AZ Kir AM TR TM Kp KG Tk Dj 76 76C
- 169. Gymnancyla sieversi (Christoph, 1877)** Synonymy: sieversi Christoph, 1877 Range (as code): RU Sr Cc AZ Nv Ord TR TM Kp Krn K-K IR Elb Kdj Th Ab Khy Ak Mrd AF Hr 76 76D 76Do
- 170. Gymnancyla turensis (Ragonot, 1887)** Synonymy: turensis Ragonot, 1887 Range (as code): MR DZ Bsk TN Gf RU TM Krn TR Cc AM KG IR Elb Th CN 06
- 171. Hannemanneia tacapella (Ragonot, 1887)** Synonymy: tacapella Ragonot, 1887 Range (as code): MA DZ TN LY Cy SD SA SA63 EG BH IL Pa IQ Mos IR TR ZA 31
- 172. Heosphora ramulosella Ragonot, 1895** Synonymy: ramulosella Ragonot, 1895 Range (as code): TR 23 31 31M
- 173. Homoeosoma achroeellum Ragonot, 1887** Synonymy: achroeella Ragonot, 1887; microsignella Amsel, 1961. Range (as code): KG Ssn Tar TR IR Elb Th Ss TM 46
- 174. Homoeosoma inustellum Ragonot, 1884** Synonymy: inustella Ragonot, 1884; calcella Ragonot, 1887; compsitella Rebel, 1914; gravosellum Roesler, 1965; nevadellum Roesler, 1965 Range (as code): ES An FR Si IT CH AT

PL SK HU RO YU HV BG RU Or Sj Ur MD UA BY TR SY IR Elb Th Dam Shh AF Kab Adr KG Tk Dj MN 05 06 13 35 38
44 46 05A 13F 13F11

- 175. *Homoeosoma nebulellum* ([Denis & Schiffermüller],1775)** Synonymy: nebulella [Denis & Schiffermüller],1775; nebulea Haworth,1811; muscerdalis Hübner,[1813]. Range (as code): DZ Gha PT ES Mu FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR DK FI EE LV LT RU Sr Or MD UA BY TR IR Elb Th KK Ax KG Uk Tk Dj Ch TM Kp 05 16 31 71 05A 16A 31M
- 176. *Homoeosoma nimbellum* (Duponchel,[1837])** Synonymy: nimbella Duponchel,[1837]; subalbatella Mann,1864; homoeosomella Zerny,1926; snellenella Benthick,1930. Range (as code): DZ Onç Bsk PT ES Grn An FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK BG GR Cr TR DK SE EE LV LT RU MD UA BY KG Uk LB IR JO EG AM Cc Eri 01 03 05 06 07 12 16 31 35 38 39 42 46 05A 06R 16A 31M 42B
- 177. *Homoeosoma sinuellum* (Fabricius,1794)** Synonymy: sinuella Fabricius,1794; sinuatus Fabricius,1794; elongella Hübner,[1813]; gemina Haworth,1811; flavella Duponchel,1836; gioferella Turati,1934. Range (as code): TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK Al IR Elb Th Kdj Clu Shh GlS TM Kp Cc AM Eri AF Hr PlI Blh 01 05 06 07 13 16 21 30 31 39 44 46 58 65 70 71 75 76 05A 13F 16A 21L 21Lc 30B 30Bt1 30Bz 31M 58F 58Fa 65A 65Au 65D 65Df 65Dl 65Dlc 65Fz 65L 65Le 75F 75Fe 76C
- 178. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** Synonymy: ahenella [Denis & Schiffermüller],1775; aeneella Hübner,1796; obscuratus Haworth,1809; tetrax Haworth,1811; ahenalis Hübner,[1825]; rubiginella Treitschke,1833; bistrigella Duponchel,1836; fuliginella Duponchel,1836; luridella Schläger,1845; ghilianii Staudinger,1870; fasciatella Staudinger,1881; hulstiella Ragonot,1887; griseoanella Ragonot,1887; caucasica Ragonot,1893; lugubrella M.Hering,1924; robustella Toll,1938 Range (as code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY TR Cc AM IR Shh US Tx 05 06 13 16 65 76 05A 13F 16A 65A 65Ai 65D 65Du 65Dt 65F 65Fg 76C
- 179. *Hypochalcia decorella* (Hübner,[1810])** Synonymy: decorella Hübner,[1810]; indecoralis Hübner,[1825]. Range (as code): FR IT DE AT CZ SK HU RO YU RU MD UA BY TR Cc AM Eri 70 76 76C
- 180. *Hypochalcia dignella* (Hübner,1796)** Synonymy: dignella Hübner,1796; dignalis Hübner,[1825]; insuadella Ragonot,1893 Range (as code): FR AT SK HU RO YU BG RU MD UA BY TR Cc AM KG Uk 65 76 65A 65Am 65Am4 65D 65Dn 76C
- 181. *Hyporatasia allotriella* (Herrich-Schäffer,1855)** Synonymy: allotriella Herrich-Schäffer,1855 Range (as code): HU RO MK RU Sr UA TR T-S KG Uk Tk Dj Ii KK Al Dsa IR Elb Th 05 05A
- 182. *Hypsotropa limbella* Zeller,1848** Synonymy: limbella Zeller,1848 Range (as code): FR IT HV AL BG GR Cr TR Cc KK 05 13 16 65 76 05A 13F 13F11 13F35 13F40 13F41 16A 65A 65Ai 65D 65Dt 65Dv 65L 65Le 76C
- 183. *Hypsotropa paucipunctella* Ragonot,1895** Synonymy: paucipunctella Ragonot,1895 Range (as code): TR 31 33 46 31M 33A 33Ac
- 184. *Hypsotropa syriacella* Ragonot,1888** Synonymy: syriacella Ragonot,1888 Range (as code): TR 31 46 31M
- 185. *Hypsotropa vulneratella* (Zeller,1847)** Synonymy: vulneratella Zeller,1847; ichorella Lederer,1855; ostrinella La Harpe,1861; albovenosella Chrétien,1915 Range (as code): DZ Bsk Si MT YU IL Pa Hf TR LB Bei SY KK Al GR Cr 31 46 31M
- 186. *Isauria dilucidella* (Duponchel,1836)** Synonymy: dilucidella Duponchel,1836; ilignella Zeller,1839; laternella Eversmann,1844; crepusculella Lederer,1870; incredibilis Staudinger,1879; subsoritella Ragonot,1887; satanella Ragonot,1887; odontella Ragonot,1893; ledereri Ragonot,1893; cuencella Caradja,1916; gabalitella Chrétien,1931; griseocens Lucas,1950; parvella Amsel,1951; shahidanella Amsel,1970 Range (as code): DZ Bsk ES Cue FR Sa Si IT DE CH AT PL CZ SK HU RO YU BG GR TR RU Ur MD UA BY IQ Hjo LB Bsa IL Pa TM Kp IR Fa Th Kdj Shh Plr Mz Elb Dam Kz Com AF Sfk KG MN Cc AM GG Smt Akh AE 02 05 06 10 13 16 23 25 27 30 31 32 38 42 46 47 50 53 58 65 71 02F 02Fe 02Fz 05A 10K 10Ka 13A 13Ab 13Ax 13F 13F20 13F35 13F38 13F40 16A 23I 23Ib 27D 27Da 30D 30Df 31K 31Ka 31Ka7 47D 65A 65Ab 65Aba 65Ai 65C 65Cb 65D 65Du 65L 65Le
- 187. *Keradere argyrophanes* (Meyrick,1937)** Synonymy: anthracanthes Meyrick,1934; argyrophanes Meyrick,1937 Range (as code): CY LB TR IQ Shq Ssa IR Fa Sse 47
- 188. *Keradere lepidella* (Ragonot,1887)** Synonymy: lepidella Ragonot,1887 Range (as code): YU GR TR Cc CY AM AZ Nv Ord GG LB Bsa IQ Hjo IR Ahz Kh Fa Sse Kdj 02 06 09 13 21 30 46 47 65 70 71 02F 02Fe 02Fz 06K 06Kb 13F 13F18 13F35 13F41 21L 21Lc 30B 30Ba 30Bt1 30Bz 30D 30Df 65A 65Am 65Am1 65Am4 65D 65Df 65Dh 65Dn 65Du 65Dv 70A 70Aa

- 189. Keradere tengstroemiella (Erschoff, 1874)** Synonymy: tengstroemiella Erschoff, 1874; noctivaga Staudinger, 1879 Range (as code): MK GR CY TR IL LB Bsa IQ Hjo IR Elb Mz Dam Fa Shr Sse RU KG Uk UZ Smk TM At 05 09 17 31 36 42 46 65 05A 31M 36D 36Db 65G 65Gb 65N 65Np5 65Nm
- 190. Khorassania hartigi Amsel, 1951** Synonymy: hartigi Amsel, 1951 Range (as code): TR IR Fa Sse Com Kz KuB AF 13 32 13F
- 191. Khorassania sp. -** Range (as code): TR 65 65A 65Ab 65Aba
- 192. Lambaesia fumosella (Ragonot, 1887)** Synonymy: fumosella Ragonot, 1887; noctileucella Ragonot, 1887 Range (as code): TR Cc IR Elb Th Mz UZ Smk AF Ch 65 76 65D 65Df 76C
- 193. Lambaesia pistrinariella (Ragonot, 1887)** Synonymy: pistrinariella Ragonot, 1887; acomptella Ragonot, 1888; #acomptella Caradja, 1916 Range (as code): TR KK T-S Na CN Ui Ku Khr Au Al 29
- 194. Laristania lydella (Lederer, 1865)** Synonymy: lydella Lederer, 1865; gypsocrates Meyrick, 1937 Range (as code): TR IQ Ry Cc Da Ku GG Akh Tbl AM Eri IR Elb Kdv Plr Dam Gor Yz 06 42 45 46 58 76 06R 46L 76C
- 195. Laristania taftanella (Amsel, 1954)** Synonymy: taftanella Amsel, 1954 Range (as code): IR Ss Elb Th Kdj TR 13 65 13F 13F01 13F6 65B 65Bo 65Bx
- 196. Megasis (s.str.) kocaki Akın, 2016** Synonymy: kocaki Akın, 2016 Range (as code): TR 13 65 13F 13G 13Gs 13Gw 65A 65Ai 65D 65Dg 65Dga 65L 65Le 65N 65Np 65Nr8 65Nm
- 197. Megasis (s.str.) rippertella (Zeller, 1839)** Synonymy: rippertella Zeller, 1839 Range (as code): ES FR Si IT CH AT RO YU B-H MK BG GR TR Cc AM JO IR Elb Shh KK Ik Na T-S RU Ur Sb MD UA BY 05 06 13 32 38 42 71 05A 06R 06Rd 06Rh
- 198. Megasis (Tsaraphycis) libanoticella Zerny, 1934** Synonymy: libanoticella Zerny, 1934; #libanotidella Osthelder, 1934. Range (as code): LB Bsa TR IR Elb Th Ab Fa 44 46 44E 44Ei
- 199. Megasis (Tsaraphycis) mimeticella (Staudinger, 1879)** Synonymy: mimeticella Staudinger, 1879; tolli Amsel, 1953. Range (as code): DZ ES FR HU BG TR Cc SA IR Mz Th Elb KK Na CN Ui Ku 05 06 36 42 44 46 58 65 05A 65B 65Bo 65Bx 65N 65Np 65Nm
- 200. Merulempista amoenella (Zeller, 1848)** Synonymy: amoenella Zeller, 1848; erberi Mann, 1867; johannella Caradja, 1916; jordana Amsel, 1935 Range (as code): IT HV RO YU AL MK GR Rd TR Arr Cc AM Cm JO IL Pa IR GlS Ui Ku Ga AF TM TJ KG Ao At MN UZ 01 09 13 24 30 33 36 39 56 65 73 76 01K 09K 13F 24L 30B 30Bc 30Bt1 30Bz 33A 33Ae 36D 36Db 56F 56F1 65A 65Ai 65D 65Dlc 73A 73Ad 73Ad2
- 201. Merulempista brucella (Staudinger, 1879)** Synonymy: brucella Staudinger, 1879 Range (as code): IT Si HV AL MK GR CY TR 05 13 16 13F 13F35 13F38
- 202. Merulempista cingillella (Zeller, 1846)** Synonymy: cingillella Zeller, 1846; myricariella Millière, 1864; azrounella D. Lucas, 1933; hartigi Roesler, 1967 Range (as code): MA Azr ES FR Si IT DE CH AT SK YU HV B-H AL RO IL Jt Pa Hf TR RU Cc GG Lag IR Ss Irs UA AF Hr CN Ui Ln IMn NHu Hph 01 05 16 65 05A 65A 65Am 65Am4
- 203. Merulempista rubicundella (Rebel, 1911)** Synonymy: rubicundella Rebel, 1911; acrobasella Amsel, 1950 Range (as code): IL Pa IR Fa TR TM Kp UZ Bu 33 33O
- 204. Metallosticha argyrogrammos (Zeller, 1847)** Synonymy: argyrogrammos Zeller, 1847; ortneri Hartig, 1938 Range (as code): Si IT RO HV MK Och BG GR TR LB Bsa Bei SY Dms IL Hf Pa IR Fa Shr 05 06 13 16 21 31 38 42 45 46 48 56 65 70 73 05A 06R 13A 13Ab 13Ax 16A 21L 21Lc 31M 56Fb 65A 65Am 65Am4 65D 65Df 65Du 65Dh 65Fz 73D 73Df
- 205. Metallostichodes bicolorella (Heinemann, 1864)** Synonymy: bicolorella Heinemann, 1864 Range (as code): FR TR 16 16A
- 206. Metallostichodes nigrocyarella (Constant, 1865)** Synonymy: nigrocyarella Constant, 1865; chalcocyarella Staudinger & Wocke, 1871. Range (as code): MA DZ Cst LY PT ES An FR Co Sa Si IT MT YU GR Cr TR CY IL Pa Hf LB EG 09 14 34 41
- 207. Metallostichodes vinaceella (Ragonot, 1895)** Synonymy: vinaceella Ragonot, 1895 ; #vinacellum Rebel, 1939 Range (as code): TR LB CY 31 46 31F 31M

- 208. *Monotonia straminella* (Zerny,1914)** Synonymy: straminella Zerny,1914; alphitopis Meyrick,1937; #zeitunella B.-H. Range (as code): TR SY IQ Ry Hjo IR Ha Avd 13 31 42 46 65 13F 13F6 46L 65D 65Dt 65Dv
- 209. *Myelois (Gnathogutta) circumdatella* Lederer,1858** Synonymy: circumdatella Lederer,1858; ottoella Schawerda,1924; quinquepunctella Turati,1934; cinnerethella Amsel,1935 Range (as code): LY Cy TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj 01 13 21 31 46 49 65 01K 13F 31M 49F 49Fb 49Ff 65A 65An 65Am 65Am1 65Am4 65D 65Du 65Dh 65N 65Nr7 65Np1 65Nm
- 210. *Myelois (Gnathogutta) luticornella* Ragonot,1887** Synonymy: luticornella Ragonot,1887 Range (as code): TR 46 47 56 46G 47D 47Dc 56F 56Fb 56Fc
- 211. *Myelois (Gnathogutta) osseella* (Ragonot,1887)** Synonymy: osseella Ragonot,1887; jerusalemella Amsel,1935 Range (as code): MA DZ Bsk Onç IL Pa Js SY TR LB Bei AF Srb Bm Pnj 01
- 212. *Myelois (Gnathogutta) ossicolor* Ragonot,1893** Synonymy: ossicolor Ragonot,1893 Range (as code): CY TR IL Pa IR Elb Tsg Lgr 13 21 30 31 33 46 47 65 13F 13F35 13F38 13F7 13F71 21N 21Nb 30D 30Df 31F 31M 33A 33Ac 46D 46Dc 46G 47D 65K 65Kl6 65Z
- 213. *Myelois (Gnathogutta) pluripunctella* (Ragonot,1887)** Synonymy: pluripunctella Ragonot,1887 Range (as code): TR GR LB Bei IL Hf Pa CY 05 13 30 31 46 56 65 05A 13F 13F6 31M 56F 56Fb 65F 65Fp 65Fz
- 214. *Myelois (Gnathogutta) pumicosa* Lederer,1855** Synonymy: pumicosa Lederer,1855 Range (as code): TR LB IQ Hjo Dy 13 21 44 46 56 65 13F 21F 44E 44Ei 56F 56Fb 56Fs 56Fs1 65A 65Am 65Am1 65Am4 65D 65Ds 65F 65Fg
- 215. *Myelois (s.str.) circumvoluta* (Fourcroy,1785)** Synonymy: circumvoluta Fourcroy,1785; circumvolutella De Villers,1789; cribrella Hübner,1796; carhdui Haworth,1811; medullalis Hübner,[1825]; pallium Vallot,1829; gilvescentella Fuchs,1903; britannicella Amsel,1951; impunctata Hartig,1952; nigrapeza Hartig,1952 Range (as code): DZ Ges Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Mz 01 04 06 13 17 21 30 31 33 36 49 65 71 73 80 04C 04Cf 06R 06Rd 13F 21L 21Lc 30B 30Bt1 30Bz 31M 36D 36Db 49F 49Fb 65Am 65Am 65Am1 65Am4 65D 65Dh 65Ds 65Dv 65Du 65K 65Kd 65Kg 65N 65Np1 65Np5 65Nm 73D 73Df
- 216. *Myelois (s.str.) cribratella* Zeller,1847** Synonymy: cribratella Zeller,1847; pallipedella Ragonot,1893 Range (as code): IT FR Co Sa Si LU TR 06 44 73 44E 44Ei 44L 73A 73Ak
- 217. *Myelois (s.str.) fuscicostella* Mann,1861** Synonymy: fuscicostella Mann,1861; nivosella Ragonot,1890; palalbidella Chrétien,1917; margaritella Turati,1930; infumatella Amsel,1961; niveisplendella Amsel,1961 Range (as code): DZ Ges Bsk Lms Onç TN Gf LY Cy TR ES AF Srb Bm IR IQ Kbl 05 06 71 05A
- 218. *Myelois (s.str.) multforella* Ragonot,1893** Synonymy: multforella Ragonot,1893; luteotinctella Caradja,1910; ronja Roesler,1988 Range (as code): Si RO BG TR IR Elb Dam Mz 42 58 65 65L 65Le
- 219. *Myelois (s.str.) quadripunctella* Zerny,1914** Synonymy: quadripunctella Zerny,1914 Range (as code): TR AE 31 46 31M
- 220. *Myrlaea albistrigata* (Staudinger,1881)** Synonymy: albistrigata Staudinger,1881 Range (as code): TR Cc LB Bsa IR Elb Mz Kdv Plr Shh IQ Ry Hjo AF Pag 05 06 13 30 33 42 46 47 56 65 71 76 05A 13A 13Ab 13Ac 13Ac2 13Ax 13F 13F38 13F6 13F7 13F71 30B 30Bc 30Bc1 30Bt1 30Bz 33A 33Ac 42B 56F 56F1 56Fs 56Fs1 65A 65Ac 65Ac3 65Ai 65B 65Bo 65Bx 65D 65Dh 65Dt 65F 65Fp 65Fz 65G 65Gb 65K 65Kl6 65Z 65N 65Np2 65Nm 76C
- 221. *Myrlaea epischniella* (Staudinger,1879) (Figs. 5,6)**
Synonymy: epischniella Staudinger,1879; dentilineella Ragonot,1887; kurdistanella Amsel,1949; nigrosquamalis Amsel,1950 Range (as code): TR IR Fa Sse Com TM Krn IQ Hjo Er Shq 05 13 42 44 46 65 05A 13F 13F01 13F35 13F41 44L 65D 65Df 65F 65Fp 65Fz 65G 65Gb
Remarks: Male genitalia and the tympanal organ of this species were illustrated by Kemal & Koçak (2016) from Van Province (Artos Mt.) as "*nigrosquamalis*". The information given in this paper was overlooked by Slamka (2019).
Material studied: 1♂. East Turkey, Van Province, Çatak, Saklıvadi 2025m (65Df), 25.vii.2016. - 3♂2♀. Van Province, Gürpınar, Zermek 1975m (65Gb), 20.vii.2017. - 2♂. East Turkey, Bitlis Province, Mutki, Çaygeçit 1290m (13F38), 26.vii.2017. - 4♂. Bitlis Province, Mutki, Aydemir 1710m (13F71), 25.vii.2017. All the material: M.Kemal & A.Koçak leg. (Cesa).



Figs. 5, 6 - *Myrllaea epischniella*. Upperside and underside of the male. Its genitalia (GP2289♂), culcita, and tympanal organ were illustrated by the authors (Kemal & Koçak, 2016: 19, fig.16). Blackish streak is visible at basal part of the fore-wing costa on the underside.

- 222. *Myrllaea insignella* (Mann, 1862)** Synonymy: *insignella* Mann, 1862 Range (as code): RO HV ?BG TR LB 05 06 13 16 35 46 65 73 05A 06R 13F 16A 73A 73Ad 73Ad2
- 223. *Myrllaea mimicalis* (Amsel, 1950)** Synonymy: *mimicalis* Amsel, 1950; *pittionii* Amsel, 1950 Range (as code): TR IR Fa Com Elb 36 50 36F 36Fb 50G 50Gb
- 224. *Neopempelia hieroglyphella* (Ragonot, 1887)** Synonymy: *hieroglyphella* Ragonot, 1887; *chneourella* D. Lucas, 1946 Range (as code): TN TR IR GlS Gor RU Sr Ao AF 76 76B 76Bh
- 225. *Neopristocerella deltagrammella* (Ragonot, 1888)** Synonymy: *deltagrammella* Ragonot, 1888 Range (as code): Cc AZ Kir TR RU Da KG 65G 65Gb 65N 65Np5 65Nm 76 76C
Material studied: 7♂♀. East Turkey, Van Province, Ilerini Mt., Ağartı 1660m, 24.vi.2017. - 4♂. Van Province, Gürpınar, Zerk 1975m, (65Gb), 20.vii.2017. 1♂, from the same place, 5.vii.2019. All the material: M. Kemal & A. Koçak leg. (Cesa).
Remarks: This species is new record for the fauna of Van Province.
- 226. *Nephopterix angustella* (Hübner, 1796)** Synonymy: *angustella* Hübner, 1796; *angusta* Haworth, 1811; *gracilalis* Hübner, [1825]. Range (as code): ES FR IT GB NL LU DE CH AT PL CZ SK HU RO YU TR IR GlS DK RU MD UA BY ZA 13 13F 13F38
- 227. *Nephopterix gregella* Eversmann, 1844** Synonymy: *gregella* Eversmann, 1844 Range (as code): DZ Bsk RU Ur KG Tar Sb TR 38 39 58
- 228. *Nephopterix melanotaeniella* Ragonot, 1888** Synonymy: *melanotaeniella* Ragonot, 1888; *amasiella* Caradja, 1910 Range (as code): TR 05 46 47 65 05A 65D 65Du 65Dv
- 229. *Nephopterix minimella* Amsel, 1954** Synonymy: *minimella* Amsel, 1954 Range (as code): IR Fa TR 13 65 13F 65D 65Dt 65Dv
- 230. *Nyctegretis lineana* (Scopoli, 1786)** Synonymy: *lineana* Scopoli, 1786; *achatinella* Hübner, [1824]. Range (as code): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL IQ IR Mz Elb CN Ui Ku Shs AF KG Uk TM Kp MN 01 06 07 13 16 21 31 33 34 46 48 65 71 75 76 01L 01Le 13A 13Ab 13Ax 13F 16A 31M 48L 65A 65Ai 75F 75Fd 76C 76D 76Da
- 231. *Nyctegretis ruminella* Harpe, 1861** Synonymy: *ruminella* Harpe, 1861 Range (as code): DZ Phv MA TN ES Mu FR Co Sa Si MT TR RO BG 09
- 232. *Nyctegretis triangulella* Ragonot, 1901** Synonymy: *triangulella* Ragonot, 1901; *griseella* Caradja, 1910; *impossibilella* Roesler, 1969. Range (as code): IT AT CZ SK HU RO GR TR RU Am JP CN Tkg Hun Yu 09
- 233. *Ocrisiodes antiopa* Roesler, 1988** Synonymy: *antiopa* Roesler, 1988 Range (as code): IR Kd Bne Lo TR 13 65 13A 13Ab 13Ax 65B 65Bo 65Bx 65F 65Fp 65Fz

- 234. *Oncocera semirubella* (Scopoli, 1763)** Synonymy: *semirubella* Scopoli, 1763; *rosella* Goeze, 1783; *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916 Range (as code): DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh CN Ui Tek Kty 01 05 06 07 08 09 13 14 16 17 26 30 31 33 36 44 46 48 56 65 71 75 76 80 81 01L 01Le 05A 06R 06Rd 07B 07Bb 08H 08Ha 13F 16A 30D 30Df 31A 31G 31O 31M 36D 36Db 44E 44Ei 48L 56F 65A 65Ai 65D 65Dv 65F 65Fç 65Fz 75F 75Fb 75Fd 76D 76Da
- 235. *Ortholepis betulae* (Goeze, 1778)** Synonymy: *betulae* Goeze, 1778; *obtusella* Zincken, 1818; *holosericea* Fischer von Röslerstamm, 1839; *tristrigella* Stephens, 1843 Range (as code): FR Co IT GB BE NL LU DE CH AT CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY TR 16 16A
- 236. *Ottomania sordida* (Staudinger, 1879)** Synonymy: *sordida* Staudinger, 1879; *atmologa* Meyrick, 1937; *commagensis* Osthelder, 1940 Range (as code): TR LB Bei CY Nv Ord Cc AZ IQ Bgd Kbl Mos 05 13 46 47 05A 13F 13F41
- 237. *Oxybia transversella* (Duponchel, 1836)** Synonymy: *transversella* Duponchel, 1836; *bituminella* Millière, 1870; *panorminatella* Caradja, 1928 Range (as code): PT ES FR Co Sa Si IT MT AT RO YU BG GR TR IL Pa Hf RU MD UA BY ZA 05 09 16 31 33 42 46 05A 16A 31M
- 238. *Paralaodamia difficilis* Balinsky, 1994** Synonymy: *difficilis* Balinsky, 1994 Range (as code): TR? SY?
- 239. *Paramaxillaria meretrix* (Staudinger, 1879)** Synonymy: *meretrix* Staudinger, 1879; *trifurcata* Turati, 1930. Range (as code): TR LY Cy TW 16 41 16A
- 240. *Paranephopterix adelphella* (Fischer v. Röslerstamm, [1836])** Synonymy: *adelphella* Fischer v. Röslerstamm, [1836]; *barteli* Caradja, 1910. Range (as code): FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU DK SE FI EE LV LT RU MD UA BY TR 46
- 241. *Pempelia albariella* Zeller, 1839 (Figs. 7-13)**
Synonymy: *albariella* Zeller, 1839; *dilucida* Staudinger, 1879; *persica* Osthelder, 1938 Range (as code): PT ES Py FR Si IT SK HU HV MK YU RO BG TR UA Ode Cm RU Ur KG IR Kdj Elb Mz Kdv 05 36 46 58 65 05A 36D 36Db 58N 58Nc 65F 65Fç 65Fz 65N 65Np1 65Nm
Remarks: This species was reported by the authors (Kemal & Koçak, 2014: 102; Koçak & Kemal, 2018: 304) from Amasya [05], Kars [36], Maraş [46], Sivas [58], and Van [65]. Unfortunately, Slamka (2019) overlooked these publications. The caterpillar of this species feeds on *Onobrychis cornuta* in the mountain steppe formation. This natural larval food-plant species is new record for *Pempelia albariella* (Slamka, 2019). This species was reported from Artos [65Fz] and Gören Mountains [65Nm] in Van Province, as well as Akçay (Kars Province [36Db]) (Koçak & Kemal, 2018). Previously, this species was recorded by Osthelder (1935: 87) from the vicinity of Maraş as *Salebria albariella* var. *dilucida*. Besides, Seven & Akın (2017) reported this species from Mescidli (Sivas Province).
Material studied: 1♀. East Turkey, Van Province, Tuşba, Irerini Mt. 1960m (65Np1) ex larva on *Onobrychis cornuta* (Fabaceae), 18.v.2014. Adult emerged on 19.vi.2014. M.Kemal collected and reared in the laboratory with its natural food-plant.
- 242. *Pempelia alpigenella* (Duponchel, 1836)** Synonymy: *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845 Range (as code): FR IT HV IT Si SK Cm RO YU MK Och AL BG GR TR Cc HU RU Sr MD UA IR Fa Com Sse Kdj Elb Mz Kdv 01 05 06 25 33 42 44 46 65 70 76 01L 01Le 05A 06K 06Kb 25N 25Na 33A 42B 44L 44Lc 65A 65Ac 65Ac3 65Ab 65Aba 65D 65Dt 65Du 65F1 65Fz 65G 65Gü 65Gz 70C 70Ce
- 243. *Pempelia argillaceella* (Osthelder, 1935)** Synonymy: *argillaceella* Osthelder, 1935; *hartigi* Amsel, 1951 Range (as code): TR IR Kh 29 36 46 36D 46G 46Gf
- 244. *Pempelia brephiella* (Staudinger, 1879)** Synonymy: *brephiella* Staudinger, 1879; *farinosella* Caradja, 1910; *coremetella* Amsel, 1949 Range (as code): Cn MA DZ Ah Onç Lbs Bsk Gha Gea Ges TN Gf Gab LY PT ES Cue FR Co Sa Si MT YU MK BG TR CY IL Pa Cc AZ Len IR Kz Sde IQ Shq Kbl KW 09 21 42 46 65 71 21L 21Lc 65A 65Am 65Am4



Figs. 7- 13 – *Pempelia albariella*. Top two rows: Cocoon and caterpillar. Bottom two rows: emerged female moth and the genitalia (GP2773♀).

- 245. *Pempelia compositella* (Treitschke,1835)** Synonymy: compositella Treitschke,1835; murinella Heinemann,1865; senescens Heinemann,1865; kalischiella Staudinger,1870; iconiensis Caradja,1910. Range (as code): MA DZ Eba ES An Grn FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR SE RU UA Cm 05 42 58 05A
- 246. *Pempelia palumbella* ([Denis & Schiffermüller],1775)** Synonymy: palumbella [Denis & Schiffermüller],1775; conturbentella Hübner,1796; cinerea Humpreys & Westwood,1841; undulatella Walker,1866; ragonoti Turati,1923; liviella Zerny,1927 Range (as code): ZA? DZ Lbs Tni Tis PT ES An Grn FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ Shq IL Pa Js LB Bsa Bmm DK NO SE FI EE LV LT LK 01 05 06 27 31 33 42 44 46 56 58 80 05A 27D 27Db 31K 31Ka 31Ka3 42J 44E 44Ei 56F 56Fb 58N 58Nc
- 247. *Pempeliella aurorella* (Christoph,1867)** Synonymy: aurorella Christoph,1867 Range (as code): Cc AM TR RU Sr KG Uk Ui Ku 06 13 29 38 42 46 56 65 76 13F 13F01 13F11 46L 56F 56Fs 56Fs1 65D 65Df 76C
- 248. *Pempeliella bulgarica* Slamka & Plant,2016** Synonymy: bulgarica Slamka & Plant,2016 Range (as code): HU BG Hsk Pi Rh AL TR RU Ur 06 16 06E 06Ea 16A
- 249. *Pempeliella ochrifasciella* (Ragonot,1887)** Synonymy: ochrifasciella Ragonot,1887; amphipyrrha Meyrick,1937; hyrcanella Amsel,1961 Range (as code): TR Cc IQ Dia Ama IR Fa Sse 05 38 42 46 58 76 05A 38Ca 42B 46G 76C
- 250. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** Synonymy: ornatella [Denis & Schiffermüller],1775; criptella Hübner,1796; criptea Haworth,1811; ornatalis Hübner,[1825]; fraternella Ragonot,1887; gigantella Amsel,1932; aixella Lucas,1938; elbursella Amsel,1954 Range (as code): DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord DK SE FI EE LV LT RU CN Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA 06 44 46 58 65 76 44L 44Lc 65A 65Ab 65Aba 65D 65Df 65F 65Fp 65Fz 65L 65Le 65N 65Np2 65Np6 65Nm 76C
- 251. *Pempeliella sororiella* (Zeller,1839)** Synonymy: sororiella Zeller,1839; marilella Guenée,1845; jucundella Mann,1864; satureiella Millière,1873; sororulella Ragonot,1887; macedoniella Ragonot,1887; amitella Zerny,1934; albicostella Amsel,1958; taftanella Amsel,1961; iranella Roesler,1969; klimeschi Roesler,1969; #minima Roesler,1969 Range (as code): DZ Bsk PT ES Py FR Co Sa Si IT MT CH AT HU SS YU MK AL BG GR Cr TR IR Fa Shr Elb Mz CY IL Pa Hf LB Bsa 06 13 16 21 25 34 42 46 65 06R 13F 13F11 13F35 13F41 16A 21L 21Lc 65A 65Ai 65D 65Df 65Fz 65N 65Np2 65Nm
- 252. *Peoria cremoricosta* (Ragonot,1895)** Synonymy: cremoricosta Ragonot,1895; prolai Hartig,1948; pectinellum Chrétien,1911 Range (as code): MA DZ Bsk ES IT Si BG GR Cr AL HV TR 01 31 46 31M
- 253. *Peoria semirosella* (Ragonot,1887)** Synonymy: semirosella Ragonot,1887 Range (as code): HV GR Cr LB Bei IR IL Pa TR 33 33A 33Am
- 254. *Phycita ardekanella* Amsel,1950** Synonymy: ardekanella Amsel,1950 Range (as code): IR Fa TR 38 38H
- 255. *Phycita asselbergi* Slamka,2019** Synonymy: asselbergi Slamka,2019 Range (as code): TR 33 42 33B 33F 42V
- 256. *Phycita characterica* Asselbergs,2009** Synonymy: characterica Asselbergs,2009 Range (as code): TR 07 07B
- 257. *Phycita comeella* Amsel,1950** Synonymy: comeella Amsel,1950 Range (as code): TR IQ Hjo Shq IR Fa Com Sse 65 65F 65Fp 65Fz
- 258. *Phycita coronatella* (Guenée,1845)** Synonymy: coronatella Guenée,1845; illyriella Zeller,1867; arnoldella Rougemont,1913 Range (as code): ES FR CH RO HV AL BG GR TR 06 51
- 259. *Phycita diaphana* (Staudinger,1870)** Synonymy: diaphana Staudinger,1870; biscraella Caradja,1916; lenitella Chrétien,1922; ricinivorella Dumont,1925 Range (as code): Cn MA DZ Bsk TN PT ES An MT GR Cc TR CY EG AM SY IQ Bgd IR Ana Ke Shh Kz Ss Irs IL Pa YE SN SO RE MU 02 21
- 260. *Phycita kurdistanella* Amsel,1954** Synonymy: kurdistanella Amsel,1954; amygdali Shernijazova,1974 Range (as code): TR IR TJ 50 65 65A 65Ab 65Aba
- 261. *Phycita meliella* (Mann,1864)** Synonymy: meliella Mann,1864; nephodeella Ragonot,1887 Range (as code): DZ Bsk FR IT SK HU RO FR Co YU AL MK BG GR TR IL Pa Cc GG Bjo Tbl AM Cm 16 35 46 16A

- 262. *Phycita mianella* Amsel, 1950** Synonymy: *mianella* Amsel, 1950 Range (as code): IR Fa Mia Sse ?TR ?31 ?65 ?65D ?65Dv
- 263. *Phycita pedisignella* Ragonot, 1887** Synonymy: *pedisignella* Ragonot, 1887 Range (as code): MK GR Cc AM TR CY IL Pa LB Bei 05 06 46 05A
- 264. *Phycita persarum* (Toll, 1948)** Synonymy: *persarum* Toll, 1948; *teheranella* Amsel, 1954; *shirazella* Amsel, 1954 Range (as code): IR Kh Th Elb Fa Shr TR 13 65 13F 13F18 65L 65Le
- 265. *Phycita pirizanella* Amsel, 1954** Synonymy: *pirizanella* Amsel, 1954 Range (as code): IR TR 80?
- 266. *Phycita poteriella* (Zeller, 1846)** Synonymy: *poteriella* Zeller, 1846; *metzneri* Zeller, 1846; *kruegeri* Turati, 1911 Range (as code): MA ES FR Co Sa Si IT RO HU HV BG GR Cr CY TR IL Pa Hf LB Bmm Bsa Cc GG AZ 06 09 16 31 35 42 46 65 16A 31M 65A 65Ai
- 267. *Phycita spissicella* (Fabricius, 1777)** Synonymy: *#roborella* [Denis & Schiffermüller], 1775; *spissicella* Fabricius, 1777; *spissicornis* Fabricius, 1798; *legatea* Haworth, 1811; *roboralis* Hübner, [1825]; *legatella* Stephens, 1834; *cristella* Stephens, 1834; *procrisalis* Walker, 1859 Range (as code): MA DZ Lbs PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa DK NO SE FI EE LV RU MD UA BY IR Gls 06 13 56 65 06R 13F 13F01 13F38 56F 56Fb 65A 65Ai
- 268. *Phycita strigata* (Staudinger, 1879)** Synonymy: *strigata* Staudinger, 1879; *comeella* Amsel, 1950 [ssp.] Range (as code): TR AM Cc IR Fa Elb Mz Kdv Kh 01 05 27 46 47 58 65 01K 05A 05E 58N 58Nc 65D 65Df 65Dt 65Du 65Dv 65Fz
- 269. *Phycita torrenti* Agenjo, 1962** Synonymy: *torrenti* Agenjo, 1962 Range (as code): PT ES FR IT HV YU HU Cm MK BG GR TR 06 58
- 270. *Phycitodes albatella* (Ragonot, 1887)** Synonymy: *albatella* Ragonot, 1887; *parvum* Gerasimov, 1930; *pseudonimbella* Benthick, 1937 Range (as code): LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She 01 03 06 13 16 21 38 42 44 46 58 65 70 71 06R 13F 16A 58N 58Nc 65A 65Ai 65D 65Dv 65Du 65Dt 70A 70Ac
- 271. *Phycitodes binaevella* (Hübner, [1813])** Synonymy: *binaevella* Hübner, [1813] Range (as code): MA LY Cy ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa TM Kp IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii 01 05 06 13 31 34 42 44 46 65 01K 05E 06R 13F 16A 44E 44Ee 46G 46Gi
- 272. *Phycitodes inquinatella* (Ragonot, 1887)** Synonymy: *inquinatella* Ragonot, 1887; *exustella* Ragonot, 1888; *canariella* Rebel, 1892; *ravonella* Pierce, 1937; *amseli* Roesler, 1965 Range (as code): Cn MA DZ Bsk Tni Tis PT ES Mu FR Sa Si IT MT BE NL DE Bv CH AT SK HU RO YU HV MK AL BG GR Cr CY TR LB Bsa IL Hf Js Pa SY Dms IR Elb Th Fa Shr 03 05 06 09 16 38 46 05A 06R 16A
- 273. *Phycitodes lacteella* (Rothschild, 1915)** Synonymy: *lacteella* Rothschild, 1915; *viettella* Roesler, 1965. Range (as code): LY Cy TN DZ Onç MA Cn ES Mu FR Sa Si IT MT DE HU RO SK YU AL BG GR RU Ur Mo MD UA SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss Kh AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN 03 06 09 13 16 31 34 38 42 44 46 58 65 71 13F 16A 44E 44Ee 58N 58Nc 65N 65Np 65Nm
- 274. *Phycitodes nigrilimbella* (Ragonot, 1887)** Synonymy: *nigrilimbella* Ragonot, 1887 Range (as code): TR IR Elb Th Fa Shr LB Bsa IL Hf IQ Hjo 06 16 13 31 42 46 50 58 65 71 13F 16A 58N 58Nc 65D 65Dv 65Du 65Dt
- 275. *Phycitodes osteella* (Ragonot, 1887)** Synonymy: *osteella* Ragonot, 1887; *nitidella* Ragonot, 1888; *praecalcella* Amsel, 1953 Range (as code): TR Cc LB Bei SY Dms IL Jer IR Elb Kdj Th Fa AF Pli 13 65 71 76 76C
- 276. *Phycitodes saxicola* (Vaughan, 1870)** Synonymy: *saxicola* Vaughan, 1870; *subbinaevella* Ragonot, 1888; *griseopunctata* Lucas, 1955; *vallettae* Amsel, 1951; *comeella* Amsel, 1961; *tenerifferlla* Roesler, 1965 Range (as code): Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh 01 06 07 09 13 35 42 44 65 76 13F 76C
- 277. *Pima boisduvaliella* (Guenée, 1845)** Synonymy: *boisduvaliella* Guenée, 1845; *farrella* J. Curtis, 1850; *lafauryiella* Constant, 1865 Range (as code): DZ Ges PT ES FR IT GB BE NL DE CH PL HU RO TR Cc KK Ku Al CN Ui TM Kp DK NO SE FI EE LV LT RU MD UA BY 06 14 17 42 46 50 65 71 76 65D 65Du 65Dv 65Dh 65N 65Np1 65Nm 76C

- 278. *Pima christophori* Ragonot, 1887** Synonymy: christophori Ragonot, 1887; #chrystophori Noack, 1960; bicornutella Amsel, 1961 Range (as code): Cc GG Tbl TR TM Kp IR Fa Sse 06 13 21 27 30 46 47 65 76 13F 13F6 30D 30Df 65A 65Ai 65G 65Gf 65Gy 65N 65Np2 65Nm 76C
- 279. *Pima leucoloma* (Herrich-Schäffer, [1849])** Synonymy: leucoloma Herrich-Schäffer, [1849] Range (as code): TN ES Grn IT HV GR TR RU CY SY Dms LB Bei AM Cc EG Cm 16 33 42 45 46 16A 33A 33Ac 46L
- 280. *Plodia interpunctella* (Hübner, [1813])** Synonymy: interpunctella Hübner, [1813]; interpunctalis Hübner, [1825]; zaeae Fitch, 1856; castaneella Reutti, 1898; latercula Hampson, 1901; glycinivora Matsumura, 1917; glycinivorella Matsumura, 1932. Range (as code): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk CN Ui Kgs Stg JP Hkk TW ZA AU CA 01 05 06 16 30 33 35 48 65 05A 16A 30Df 48L 65A 65At 65At5 65D 65Dh 65N 65Nc 65Nc4
- 281. *Polyocha transversariella* (Zeller, 1848)** Synonymy: transversariella Zeller, 1848; strigosa Staudinger, 1879; phoeniciella Ragonot, 1895; discella Hampson, 1901; granatella Zerny, 1927 Range (as code): MA DZ Ah TN PT ES An Grn IT Si RO YU GR RU MD UA BY TR Cc IL Pa Hf LB Bei JO IQ Shq Rwz Mos Dia IR Fa 01 05 13 16 21 25 31 33 42 46 47 65 71 76 80 05A 13A 13Ab 13Ax 13F 13F6 16A 31M 42B 47D 65A 65Ab 65Aba 65Ac3 65D 65Dv 65Dt 65Du 65N 65Np2 65Nm 76C
- 282. *Polyocha venosa* (Zeller, 1847)** Synonymy: venosa Zeller, 1847 Range (as code): GR TR IL Pa Hf LB CY 01 31 33 35 46 48 56 31M 33A 33Ac 56F 56Fb
- 283. *Polyochodes farsella* (Amsel, 1951)** Synonymy: farsella Amsel, 1951 Range (as code): TR IR Fa Com 13 44 13A 13Ab 13Ax 13F 13F71 44E 44Ei
- 284. *Pristocerella solskyi* (Christoph, 1877)** Synonymy: solskyi Christoph, 1877; ochroleucella Staudinger, 1879; bivittella Christoph, 1887 Range (as code): Cc AM Eri AZ Kir TR IR Elb Th Shh Dam Mz Ha Fa Kd Km Lo Zj Shh IQ Ry Hjo TM Kp 01 30 46 65 01K 30D 30Dt 46D 46Dc 46L 65D 65Df 65G 65Gb 65F 65Fz
Material studied: 1♂. East Turkey, Van Province, Gevaş, Artos Mt. 1980m (65Fz), 15.vii.2012. - 3♂. Van Province, Gürpınar, Zerneke 1975m (65Gb), 5.vii.2019. - 1♀. From same place, 20.vii.2017. - S. Turkey, Kahramanmaraş Province, Elbistan, Şar Mt. 1470m (46Dc), 21.vii.2019. All material: M. Kemal & A. Koçak leg. (Cesa).
Remarks: This species is new for the fauna of Van Province (Koçak & Kemal, 2018)..
- 285. *Pristophorodes dissimilella* (Ragonot, 1887)** Synonymy: dissimilella Ragonot, 1887 Range (as code): TR Cc 42 76 76C
- 286. *Prophtasia platycerella* Ragonot, 1887** Synonymy: platycerella Ragonot, 1887 Range (as code): DZ Omy Cc AM TR
- 287. *Pseudotephtris romanoffella* (Ragonot, 1887)** Synonymy: romanoffella Ragonot, 1887 Range (as code): TM Kp TR IQ Shq AM SY IR Th 13 46 47 65 13F 13F01 13F35 13F41 46G 47D 65D 65Dv 65Du
- 288. *Psorosa dahliella* (Treitschke, 1832)** Synonymy: dahliella Treitschke, 1832; bivittella Duponchel, 1836; flavifasciella Hampson, 1901 Range (as code): PT ES FR Co Sa Si IT CH SK HU RO YU BG GR CY TR IQ Ama Ssa IL Pa Hf RU MD UA BY IR Dam Plr Elb Mz Gor Shh 13 25 31 46 58 13F 31M 58N 58Nc
- 289. *Psorosa elbursella* Amsel, 1954** Synonymy: elbursella Amsel, 1954 Range (as code): IR Elb Kdv TR 69 69B 69Ba
- 290. *Psorosa maraschella* Caradja, 1910** Synonymy: maraschella Caradja, 1910; #affinella Caradja, 1910; tochalella Amsel, 1954 Range (as code): TR IR Elb Mz Th Kdj Ha Avd Ke Fa Sse Nss Se 13 46 65 13F 13F01 13F11 13F35 13F6 46L 65A 65Am 65Am1 65Am4 65D 65Df 65N 65Np2 65Nm 65K
- 291. *Psorosa nucleolella* (Möschler, 1866)** Synonymy: nucleolella Möschler, 1866; clarella Caradja, 1910; luteostrigella Caradja, 1910 RO BG TR Cc Nv AZ RU Sb At SY LB IL Pa IQ Shq Bgd Amr EG UA Cm FI SE LV KG Uk Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr 31 38 71 76 31M 76C
- 292. *Psorosa pseudomaraschella* Slamka, 2019** Synonymy: pseudomaraschella Slamka, 2019 Range (as code): TR 13 38 46 13G 13Ge1 38Ca 46G
- 293. *Psorosa turciella* Slamka, 2019** Synonymy: turciella Slamka, 2019 Range (as code): TR 05 05A 05E 46G
- 294. *Psorosodes dalakiella* Amsel, 1954** Synonymy: dalakiella Amsel, 1954 Range (as code): TR IR Fa 65

- 295. *Pterothrixidia rufella* (Duponchel,1836)** Synonymy: rufella Duponchel,1836; impurella Duponchel,1837; luridatella Herrich-Schäffer,1847; infuscatella Herrich-Schäffer,1849; corsicella Ragonot,1893; #pallida Leraut,2014; rungsella Leraut,2014 Range (as code): MA Ifr PT ES Mu FR Co Sa IT MT CH HU RO YU AL BG GR AM Eri Cc TR 04 05 13 27 30 45 44 46 47 32 58 65 70 04C 04Cf 05A 13A 13Ab 13Ac 13Af 13Ax 13F 13F6 27D 27Dd 30B 30Bc 30Bz 44L 44Lc 46D 46Dc 47D 65A 65Ac 65Ac3 65Ab 65Aba 65D 65Df 65Dt 65Fz 65G 65Gb 65K 65Kl1 65Z 65N 65Np1 65Np2 65Nm 70A 70Ab
- 296. *Pterothrixidia squalidella* (Eversmann,1842)** Synonymy: squalidella Eversmann,1842; fimbriatella Zeller,1848; crudella Zeller,1848; contectella Zeller,1848; tauricella Wocke,1871; caucasiella Ragonot,1888; orientella Ragonot,1893; melanoptera Rebel,1910; ancyrensis Amsel,1954; fordi Amsel,1954; rava Amsel,1954; osmanella Amsel,1954 Range (as code): RU Sr Ur Cc TR LB Bsa IR Elb Th Nss AF Pag Fa Sse Elb Th Kdj Kz Com 06 38 47 06R 47D
- 297. *Pyla fusca* (Haworth,[1811])** Synonymy: fusca Haworth,[1811]; spadicella Zincken,1818; janthinella Duponchel,1836; annulatella Zetterstedt,1839; posticella Zetterstedt,1839; carbonariella Fischer v.Roeslerstamm,1843; bilineata Curtis,1850; moestella Walker,1863; procellariana Walker,1863; frigidella Packard,1867; cacabella Hulst,1887; triplagiataella Dyar,1904 Range (as code): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB DK NO SE FI EE LV LT RU MD UA BY CA US Ny 05 16 31 16A 31K 31Ka
- 298. *Rhodophaea formosa* (Haworth,[1811])** Synonymy: formosa Haworth,[1811]; perfluella Zincken,1818; dibaphiella Geyer,[1836]; dubiella Duponchel,1836; formosella Doubleday,1859. Range (as code): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ao MD UA Cm BY IR Gls 05 09 16 05A 16A
- 299. *Rowanduzia diplocapna* (Meyrick,1937)** Synonymy: diplocapna Meyrick,1937 Range (as code): IQ Rwz Dia Shq TR 47
- 300. *Saluria chehirella* Zerny,1929** Synonymy: chehirella Zerny,1929. Range (as code): TR 42
- 301. *Saluria maculivittella* Ragonot,1887** Synonymy: maculivittella Ragonot,1887; armeniella Ragonot,1888 Range (as code): MA DZ Ah Gle Omy Bsk TN Gab FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Kz Fa RU UZ Man IN
- 302. *Sciota adelphella* (Fischer von Röslerstamm,1836)** Synonymy: adelphella Fischer von Röslerstamm,1836 FE GB DK DE BE NL EE LT LV SE FI UA BY RU Ao GG AM Cc TR RO BG HV HU IT Sa CH AT CZ SK 46
- 303. *Sciota fumella* (Eversmann,1844)** Synonymy: fumella Eversmann,1844; tristis Alpheraky,1880; hartigi Roesler,1974 Range (as code): IT CH AT PL CZ SK HU RO FI EE LV LT RU Cc Am Ur GG Lag TR 05 05A
- 304. *Sciota hostilis* (Stephens,1834)** Synonymy: hostilis Stephens,1834 Range (as code): FR IT GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IL JO DK NO SE FI EE LV LT
- 305. *Sciota rhenella* (Zincken,1818)** Synonymy: rhenella Zincken,1818 Range (as code): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK FI EE LV LT RU IQ Shq TR AF Cc GG Lag KG Tk Dj Ii IR Elb Th Kdj 08 13 42 65 71 76 08H 08Ha 13F 65F 65Fç 65Fz 76D 76Da
- 306. *Sclerobiodes persica* Amsel,1951** Synonymy: persica Amsel,1951 Range (as code): IR Fa Com TR 13 13F 13F35
- 307. *Seeboldia korgosella* Ragonot,1887** Synonymy: korgosella Ragonot,1887; uralskella Caradja,1910; occidentella Zerny,1927; jolanella Schmidt,1933 Range (as code): TN ES Cue FR Py AL RU Or Ui Ku Khr KG Uk KK Na Ik TR 65 65K 65Ky 65Ky1
- 308. *Sefidia clasperella* Asselbergs,1994** Synonymy: clasperella Asselbergs,1994 Range (as code): TR 13 33 42 56 65 13F 13F01 13F11 13F35 13F41 33B 42B 56F 56Fs 65A 65Ai
- 309. *Selagia argyrella* ([Denis & Schiffermüller],1775)** Synonymy: argyrella ([Denis & Schiffermüller],1775; myella Hübner,1793; argyreus Fabricius,1798; janthinella Hübner,1813; argyralis Hübner,[1825]; orichalcella Sodoffsky,1829; aurella Staudinger,1892; striatella Staudinger,1892 Range (as code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cr Cc AM DK SE EE LV LT RU MD UA BY KG Uk Tk Dj Ui Nur Kml MN 01 05 06 12 13 16 33 58 65 05A 13F 13F01 16A 58G 58Gg 65D 65Df
- 310. *Selagia spadicella* (Hübner,1796)** Synonymy: spadicella Hübner,1796; janthinella Hübner,[1813]; saltuella Mann,1862; uralensis Rebel,1910; declaratella Zerny,1927; isabella Zerny,1935; brunneella D.Lucas,1956 Range (as code): MA Ifr ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA BY RU Ur Ui Ju KK Na KG Tk Dj Uk 06 13 16 42 46 58 65 06R 13A 13Ac 13Ac1 13Ax 16A 58N 65A 65Ai

- 311. *Susia discomaculella* (Ragonot, 1888)** Synonymy: *discomaculella* Ragonot, 1888 Range (as code): DZ Bsk TN Gf TR IL Pa Js Jt 45 47
- 312. *Susia uberalis* (Swinhoe, 1884)** Synonymy: *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968. Range (as code): DZ Bsk Ath Ah TN Gf LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb KJ Ke B-A LB Bei SY Dms SA SAo8 SA63 EG EG11 Sn JO Amm Jt IQ Mos Kbl Bgd AE AF Srb Kab PK Sd Krc Gg Ch Sk 45 47 47D 47Db
- 313. *Synoria antiquella* (Herrich-Schäffer, [1855])** Synonymy: *antiquella* Herrich-Schäffer, [1855] Range (as code): GR TR Cc TM Kp AF Bd Kab 05 13 16 42 44 46 65 70 76 05A 13A 13Ab 13Ax 16A 42B 44E 65K 65Kd 65F 65Fp 65Fz 65L 76C
- 314. *Taftania serratella* (Ragonot, 1893)** Synonymy: *serratella* Ragonot, 1893; *obscura* Osthelder, 1935; *oxycyma* Meyrick, 1937 Range (as code): EG Sn TR IQ Rwz IR Fa Ss AF Kab Bm Srb 13 31 42 46 47 13F 13F18 13F35 31M 42R 42Rc 47D
- 315. *Tephrosia verruculella* (Ragonot, 1887)** Synonymy: *verruculella* Ragonot, 1887; *aridiella* Rothschild, 1913 [ssp.]; *rungsi* Leraut, 2002 Range (as code): MA DZ Gtt Bsk TN Gf TR GG Cc Lag AF 04 13 23 13F 13Fo1 13F35 13F41
- 316. *Thospia permixtella* Ragonot, 1888** Synonymy: *permixtella* Ragonot, 1888 Range (as code): FR ES HV TR CY IR Elb Shh TM Kp
- 317. *Thospia trifasciella* (Ragonot, 1887)** Synonymy: *trifasciella* Ragonot, 1887; *alborivulella* Ragonot, 1888. Range (as code): Ui Ku UZ Nmg RU Sb AF IR Elb Th TR 42
- 318. *Trachonitis cristella* (Hübner, 1796)** Synonymy: *cristella* Hübner, 1796; *cristalis* Hübner, [1825]. Range (as code): PT FR IT GB? DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY 05 05A
- 319. *Uncinus nobilellus* (Ragonot, 1887)** Synonymy: *nobilella* Ragonot, 1887; *placidella* Zerny, 1929; *alibotuschella* Drenowski, 1932; *hypogryphellus* Amsel, 1951 Range (as code): BG GR Sms MK TR Cc Nv AM TM Kp IR Fa 13 42 13F 13F35 13F41
- 320. *Uncinus obductellus* (Zeller, 1839)** Synonymy: *obductella* Zeller, 1839; *origanella* Schläger, 1848; *claricosta* Osthelder, 1938; *infernalis* Osthelder, 1938; *arimanella* Amsel, 1951 Range (as code): DZ Anna PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LT RU MD UA BY IR Elb Mz Fa LB Bsa 05 13 34 42 44 13A 13Ab 13Ax 13F 13F11 13F20 13F41 44E 44Eh
- 321. *Uncinus thymiellus* (Zeller, 1846)** Synonymy: *thymiella* Zeller, 1846; *libyella* Leraut, 2014 [ssp.] Range (as code): DZ LY Cy Si IT TR SY 05 16 16A
- 322. *Valdovecaria umbratella* (Treitschke, 1833)** Synonymy: *umbratella* Treitschke, 1833 Range (as code): Si IT HV TR 16 16A
- 323. *Zophodia grossulariella* (Hübner, [1809])** Synonymy: *convolutella* Hübner, 1796 nec [Denis & Schiffermüller], 1775; *grossulariella* Hübner, [1809]; *rectella* Guenée, 1845. Range (as code): US CA ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR
- 324. *Zophodiodes leucocostella* Ragonot, 1887** Synonymy: *leucocostella* Ragonot, 1887; *lundbladi* Amsel, 1950 Range (as code): TR IR Com Fa UA Cm Cr 05 65 05A 65D 65Dv

References

- Kemal, M. & A.Ö. Koçak**, 2012. Insect life in Turkey at night. I- Upper Dez Valley, Hakkari Province, SE Turkey (Lepidoptera). *Cesa News* 72: 1-12, 45 figs.
- Kemal, M. & A.Ö. Koçak**, 2014. Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I. Period of April-June 2014. *Priamus* (Suppl.) 33: 5-206, 273 figs. 1 Table.
- Kemal, M. & A.Ö. Koçak**, 2016. Annotated list of the Pterygota fauna of Artos Mountain (Van Province, East Turkey). *Cesa News* 125: 1-36, 30 figs.
- Kemal, M. & A.Ö. Koçak**, 2017. On the Pyralidae of Bahcesaray district, with some eco-faunistic and taxonomical notes (Van Province, East Turkey) (Lepidoptera). *Priamus* 14 (4): 161 - 245, 111 figs., 62 maps.
- Kemal, M. & A.Ö. Koçak**, 2018. First faunistic results of the Lepidoptera of Zap Valley in Hakkari Province (SE Turkey). *Priamus* 16 (4): 119-199, 8 figs
- Koçak, A.Ö. & M. Kemal**, 2009. Revised checklist of the Lepidoptera of Turkey. *Priamus* (Suppl.) 17: 1-253.
- Koçak, A.Ö. & M. Kemal**, 2015. Annotated list of the Lepidoptera of Hakkari Province (SE Turkey). *Cesa News* 116: 1-146, 69 figs., 18 maps.
- Koçak, A.Ö. & M. Kemal**, 2018. A synonymous and distributional list of the species of the Lepidoptera of Turkey. *Cent. ent. Stud., Memoirs* 8: 1-487.
- Koçak, A.Ö. & M. Kemal**, 2019. First updated geographical codes used in the publications of the Cesa. *Priamus* 17 (4): 319-360.
- Osthelder, L.**, 1935. Pyralidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. *Mitt. münch. ent. Ges.* 24 (3): 73-104.
- Roesler, R.-U.**, 1973. *Trifine Acrobasiina* (1. Teilband der Phycitinae). [in] Amsel, H.G. et al., *Microlepidoptera Palaearctica* vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- Roesler, R.-U.**, 1993. *Quadrifine Acrobasiina* Erster Teil (2. Teilband der Phycitinae). [in] Amsel, H.G., *Microlepidoptera Palaearctica* vol.8 (Text & Tafeln). Verlag G. Braun, Karlsruhe.
- Seven, E. & K. Akın** 2017. Sivas İli Heterocera (Lepidoptera) Faunasına Katkılar. *KSÜ Doğa Bil. Derg.* 20 (4): 393-397.
- Slamka, F.**, 2019. *Pyraloidea of Europe (Lepidoptera)*, vol. 4. *Phycitinae* - Part 1. 432 pp., Pls. Bratislava.

C o n t e n t s : Kemal,M. & A.Ö.Koçak, On the Phycitinae of Turkey: updated synonymic and distributional list of species (Lepidoptera) with some remarks, p. 130 - **editorial**, p. 155.

Priamus³

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara, established in 1981, and appears in volumes at irregular intervals. Each volume is composed of parts. This serial is regularly and permanently archived in the recognized international site, "The Internet Archive", in accordance with the Rules of the International Code of Zoological Nomenclature (Article 8.5.3.1).

It includes larger original articles of the research workers of the Centre, regarding taxonomy, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are English or Turkish.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)⁴, Miscellaneous Papers (print and online versions) (ISSN 1015-8235)⁵, Memoirs (print and online versions) (ISSN-8227)⁶, DVD Films⁷, Iconographia Insectorum⁸ (online), Cesa Publications on African Lepidoptera (online)⁹, Cesa News (online)¹⁰, Cesa Books (online)¹¹

Owners / Sahipleri - Editors / Yayıncılar: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Van Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria) and Dr. Ole Karsholt (Denmark): Gelechioidea, and some other Microlepidoptera groups in Palaearctic (Lepidoptera). Mag. Peter Buchner (Austria): Depressariidae (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kiyak (Turkey): Hemiptera.

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

Molecular studies: Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em Dr Ahmet Ömer Koçak, c/o Van Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)

<https://archive.org/>

also recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom, <https://clarivate.com/>

³ <http://www.cesa-tr.org/Priamus.htm> - pdf available after corresponding; *Priamus* (online) available at the Internet Archive.

⁴ <http://www.cesa-tr.org/Pri.htm>

⁵ <http://www.cesa-tr.org/Miscell.htm>

⁶ <http://www.cesa-tr.org/Memoirs.htm>

⁷ <http://www.cesa-tr.org/CDF.htm>

⁸ <http://www.cesa-tr.org/Icon.htm>

⁹ <http://www.cesa-tr.org/CPAL.htm>

¹⁰ <http://www.cesa-tr.org/Cesanews.htm>

¹¹ <http://www.cesa-tr.org/Cesabooks.htm>